

2	Definitions
	form Dostorio
	form Bacteria ead & Copper
	Contaminants Contaminants
5 Disinfectants/ Disinfection Unregulated	s By-Products Contaminants
State Regulated Synthetic Organic Volatile Organic	Contaminants
7-10 Illinois PFAS TP-0	AS TP-08 Table
11 Source Water Prot	ection Efforts
Source Water Is There Lead in	Assessments n "My"' Water?



The City of St. Charles is committed to providing a continuous supply of safe, reliable and economical water to all of our residents and businesses

This report contains very important information about your drinking water. Este informe contiene información muy importante sobre su agua potable

This report summarizes the quality of the water that we provided last year, including details about where your water comes from, what it contains, and how it compares to the standards set by regulatory agencies. We are committed to providing you, our customer, with this report to keep you informed about your drinking water supply.

The City of St. Charles Water Division is responsible for providing safe water to the 33,780 customers we serve. With 14 full-time employees, the Water Division Maintains 7 water supply wells, 6 storage reservoirs, 250 miles of water main, over 4,035 valves, 2,987 fire hydrants and 12,919 domestic service connections. Presently, water usage averages about 4.5 million gallons per day (mgpd). The water supply is chlorinated and fluoridated in accordance with state and federal regulations.

The City uses groundwater provided by two separate aquifers. An aquifer is a geological formation that contains water. Wells number 7, 9, 11, and 13 are drilled into the St. Charles sand and gravel Aquifer. Wells number 3, 4, and 8 are drilled into a deeper formation of sandstone, commonly referred to as the Galesville formation.

A Source Water Assessment (SWA) of our water supply has been completed by the Illinois Environmental Protection Agency (IEPA). This assessment identifies any potential routes or sources of contaminants to our groundwater supply. If you would like a copy of this information, please contact the Public Works Department at 630-377-4405.

Health Information

Some people may be more vulnerable to contaminants found in drinking water than the general population. Immuno-compromised persons such as persons with cancer under going chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly as risk from infections. These people should seek advice about drinking water from their health care providers. United States Environmental Protection Agency (USEPA/Communicable Disease Center (CDC) guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the USEPA's Safe Drinking Water Hotline (1-800-426-4791) or visit their website at https://www.epa.gov/ccr

Abbreviations & Definitions

Not detectable at testing limits nd

n/a Not applicable

millirems per year (a measure of radiation absorbed by the body) mrem

Parts per million or milligrams per liter ppm

Parts per billion or micrograms per liter dag

Parts per trillion or picograms per liter ppt

NTU Nephelometric Turbidity Unit. Used to measure cloudiness in drinking water

pCi/L Picocuries per liter. Used to measure radioactivity

Action Level, or the concentration of a contaminant which, when exceeded, triggers treatment or other requirements, which a AL

water system must follow.

If a date appears in this column, the Illinois EPA requires monitoring for this contaminant less than once per year because the Date of Sample concentrations do not frequently change. If no date appears in the column, monitoring for this contaminant was conducted

during the CCR calendar year.

The column represents an average of sample result data collected during the CCR calendar year. In some cases, it may Level Found

represent a sign sample if only one sample was collected.

Level 1 A level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total Assessment

coliform bacteria have been found in our water system.

A level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) Level 2 why and E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on Assessment multiple occasions

Maximum Contaminant Level, or the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCL the MCLGs as feasible, using the best available treatment technology.

Maximum Contaminant Level Goal, or the level of a contaminant in drinking water, below which there is no known or **MCLG**

expected risk to health. MGLCs allow for a margin of safety.

MRDL Maximum Residual Disinfectant Level, or the highest level of disinfectant allowed in drinking water.

Maximum Residual Disinfectant Level Goal, or the level of disinfectant in drinking water below which there is no known or **MRDLG**

expected health risk. MRDLG's allow for a margin of safety.

This column represents a range of individual sample results, from the lowest to the highest that were collected during the Range of Detections

CCR calendar year.

TT Treatment Technique or a required process intended to reduce the level of a contaminant in drinking water.

2024 Data

Coliform Bacteria

Lead & Copper

In order to ensure that tap water is safe to drink, USEPA prescribes regulations that limit the amount of certain contaminants in water provided by public water supply systems. Food & Drug Administration (FDA) regulations establish limits for contaminants found in bottled water, which are also intended to protect public health.

In addition to the information section of this report, we have included serval tables for your review. The tables will give you a better picture of the contaminants that were detected in our water and the contaminants that were tested for, but not detected.

We hope you find this information useful. In an effort to keep our customers informed, we update this report annually.

*Note: Sample frequency varies by constituent and is mandated by USEPA

Coliform Bacteria

MCLG	Total Coliform MCL	Highest Number of Positive	Fecl Coliform or E.Coli MCL	Total Number of Positive Fecal Coliform or E.Coli	Violation	Date of Sample	Likely Source of Contamination
0	5% of the 40 monthly test samples are positive	14.3	0	0	No Violation	January- December 2024	Naturally present in the environment

Lead & Copper

Contaminants (units)	MCLG	AL	90th Percentile (AL)	Number of Sites over AL	Violation	Date of Sample	Likely Source of Contamination
Copper (ppm)	1.3	14.3	0.17	0	No Violation	September 14, 2024	Corrosion of household plumbing systems; erosion of natural deposits, leaching from wood preservatives
Lead (ppb)	0	15	3.2	0	No Violation	September 14, 2024	Crosion of household plumbing systems; erosion of natural deposits

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials in components associated with services lines and home plumbing. The City of St. Charles is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using the water for cooking or drinking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline 1-800-426-4791 or at http://www.epa.gov/safewater/lead

Radio Active Contaminants

Inorganic Contaminants

						11/17/1/1	
Contaminants (units)	MCLG	MCL	Highest Level Found	Range of Levels Detected	Violation	Date of Sample	Likely Source of Contamination
Radioactive Contaminants:							
Gross Alpha Excluding Radon and Uranium (pCi/L)	0	5.0	47	2.63-47.3	No	2024	Erosion of natural deposits
Combined Radium (pCi/L) 226/228	0	5.0	3	0-4.77	No	2022	Erosion of natural deposits
Uranium (ppb)	0	30	1.0	0.6-1.0	No	2005	Erosion of natural deposits
Contaminants (units)	MCLG	MCL	Highest Level Found	Range of Levels Detected	Violation	Date of Sample	Typical Source of Contamination
Inorganic Contaminants:							
Arsenic (ppb)	0	10	0.519	0-0.519	No	2015	Erosion of natural deposits; Run-off from orchards; Runoff from glass & electronics production wastes
Barium (ppm)	2.0	2.0	0.58	0.073-0.58	No	2024	Discharge of drilling wastes; discharge from metal refineries. Erosion of natural deposits
Nitrate (ppm)	10.0	10.0	0.35	0-0.35	No	2022	Runoff from fertilizer use; leaching from septic tanks, sewage. Erosion of natural deposits.
Nitrite (ppm)	1.0	1.0	0	0	No	2015	Runoff from fertilizer use; leaching from septic tanks, sewage. Erosion of natural deposits.
Selenium (ppb)	50	50	1.2	0-1.2	No	2024	Erosion of natural deposits.
Zinc (ppm)	5	5	0.0075	0-0.0075	No	2021	Naturally occurring; discharge from metal

Disinfectants/Disinfections By-Products

Unregulated Contaminants

				<u> </u>		Carrina	
Contaminants (units)	MCLG	MCL	Highest Level Found	Range of Level Detected	Violation	Date of Sample	Likely Source of Contamination
Disinfectants/Disinfections By-Products:							
Chlorine (ppm)	MRDLG=4	MRDL=4	0.9	0.6-1	No	2024	Water additive used to control microbes
Total Haloacetic Acids (HHA5) (ppb)	No goal for this total	60	5	3.45-4.79	No	2024	By-product of drinking water disinfection
Total Trihalomethanes (TTHM) (ppb)	No goal for this total	80	23	21.5-22.88	No	2024	By-product of drinking water disinfection
Contaminants (units)	MCLG	MCL	Highest Level Found	Range of Levels Detected	Violation	Date of Sample	Likely Source of Contamination
Unregulated Contaminants:							
Barium (ppm)	2	2	0.58	0.073-0.58	No	2024	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Sulfate (ppm)	N/A	N/A	93.8	14-93.8	No	2015	Erosion of natural deposits
1,4-Dioxane (mg/L)	N/A	N/A	0.0083	00.1	No	12014	Used as a solvent in manufacture of paper, textile products, automotive coolant, cosmetics, shampoos, cleaning agents, surface coating and adhesive agent.
Chlorate (ug/L)	N/A	N/A	21.71	0-210	No	2014	Agricultural defoliant or desiccant; disinfection byproduct; and used in production of chlorine dioxide.
Chromium (ppb)	100	100	8	0-8	No	2018	Naturally occurring element; used in making steel alloys, chrome plating, dyes and pigment, leather tanning and wood preservation.
Chromium 6 (ppb)	N/A	N/A	0.02	0-0.07	No	2014	Naturally occurring element; used in making steel alloys, chrome plating, dyes and pigment, leather tanning and wood preservation.
Molybdenum (ug/L)	N/A	N/A	0.71	0-2.6	No	12014	Naturally occurring element found in ores and present in plants, animals and bacteria; commonly used form molybdenum trioxide used as a chemical reagent.
Strontium (ug/L)	N/A	N/A	917.93	234.3-1317.8	No	2014	Naturally occurring element; historically commercial use of strontium has been in the faceplate glass of cathode-ray tube televisions to block x-ray emissions.
PFBS (ppb)	N/A	MRL=.0028	.0031	.00290031	No	2024	Can migrate in the environment and impact the quality of surface water and groundwater which may be used as sources of drinking water.
	N/A	MRL=9.00	28.6	12.2-28.6	No	2024	Naturally occurring element and may be found at higher concentrations in certain parts of the country, particularly in groundwater sources in arid locations in the Western U.S. where geologic formations contain lithium salts.

State Regulated Contaminants

Synthetic Organic Contaminants

Volatile Organic Contaminants

Contaminants (units)	MCLG		Level Found	Range Of Levels Detected	Violation	Date of Sample	Likely Source of Contamination
State Regulated Contaminants:							
Iron (ppm)	N/A	1.0	0.2	0-0.2	No	2024	Erosion of natural deposits.
Manganese (ppb)	150	150	88	0-88	No	2024	Erosion of natural deposits.
Sodium (ppm)	N/A	N/A	100	30-100	No	2024	Erosion of natural deposits. Used as water softener.
Fluoride (ppm)	4.0	4.0	0.939	0.659-0.939	No	2024	Erosion of natural deposits. Water additive which promotes strong teeth. Discharge from fertilizer and aluminum factories.

- Fluoride: Is added to the water supply to promote strong teeth. The Illinois Department of Public Health recommends a single level of 0.7 milligrams of Fluoride per liter of water.
- Iron: This contaminant is not currently regulated by USEPA. However, the state has set a MCL for this contaminant for supplies serving a population 1000 or more.
- Manganese: This contaminant is not currently regulated by USEPA. However, the state has set a MCL for this contaminant for supplies serving a population of 1000 or more.
- Sodium: There is not a state of federal MCL for sodium. Monitoring is required to provide information to consumers and health officials are concerned about sodium intake due to dietary precautions. If you are on a sodium-restricted diet, you should consult a physician about this level of sodium in the water. Our water system was required to monitor for the contaminants required under the Unregulated Contaminant Monitoring Rule (UCMR).

Unregulated contaminants are those for which EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist EPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted. A maximum contaminant level (MCL) for these substances has not been established by either state or federal regulations, nor has mandatory health effects language.

Contaminants (units)	MCLG	MCL	Highest Level Found	Range Of Levels Detected	Violation	Date of Sample	Likely Source of Contamination
Synthetic Organic Contaminants:							
Benzo (A) pyrene (ppb)	N/A	0.2	0.147	0.147	No	2015	Runoff from fertilizer use: leaching from septic tanks, sewage. Erosion of natural deposits.
Benzo (A) pyrene (ppb)	N/A	0.2	0	0	No	2016	Runoff from fertilizer use: leaching from septic tanks, sewage. Erosion of natural deposits.
Volatile Organic Contaminants:							
Carbon Tetrachloride (ppb)	0	5	1.5	0-1.5	No	2017	Discharge from chemical plants and other industrial activities.

Violations Table

Illinois PFAS TP-06 Table

Violation Type	Violation Begins	Violation Ends	Violation Explanation
N/A	N/A	N/A	N/A

In 2020, our PW's was sampled as part of the State of Illinois PFAS Statewide Investigation. Results from this sampling indicated PFAS were detected in our drinking water below the health advisory level established by Illinois EPA. Follow up monitoring is being conducted. For more information about PFAS health advisories http://www.illinois.gov/epa/topic/water

TP-06-Sampled 12/08/2020

PFAS Analyte (Acronym)	Draft Guidance Level	Sample Results
Perfluorobutanesulfonic acid (PFBS)	140,000ng/L (0.14mg/L)	3.2 ng/L
Perfluoroheptanoic acid (PFHpA)	No toxicity criteria available	ND
Perfluorohexanesulfonic acid (PFHxS)	140ng/L (0.00014mg/L)	ND
Perfluorononanoic acid	21ng/L (0.000021mg/L)	ND
Perfluorooctanesulfonic acid (PFOS)	14ng/L (0.000014mg/L)	2.3 ngL
Perfluorooctanoic acid (PFOA)	2ng/L (0.000002mg/L)	ND
Perfluorodecanoic acid (PFDA)	No toxicity criteria available	ND
Perfluorododecanoic acid (PFDoA)	No toxicity criteria available	ND
Perfluorohexanoic acid (PFHxA)	560,000ng/L (0.56mg/L)	ND
Perfluorotetradecanoic acid (PFTA)	No toxicity criteria available	ND
Perfluorotridecanoic acid (PFTrDA)	No toxicity criteria available	ND
Perfluoroundecanoic acid (PFUnA)	No toxicity criteria available	ND
l I-chloroeicosafluoro-3-oxaundecane-I-sulfonic acid (I I CI-PF3OUdS)	No toxicity criteria available	ND
9-chlorohexadecafluoro-3-oxanone-l sulfonic acid (9CI-PF3ONS)	No toxicity criteria available	ND
4,8 dioxa-3H-perfluorononanoic acid (ADONA)	No toxicity criteria available	ND
N-methyl perfluorooctanesulfonamidacetic acid (NMeFOSAA)	No toxicity criteria available	ND
Hexafluoropropylene oxide dimer acid (HFPO-DA)	560ng/L (0.00056mg/L)	ND
N-ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	No toxicity criteria availble	ND

Illinois PFAS TP-06 Table (cont)

In 2020, our PW's was sampled as part of the State of Illinois PFAS Statewide Investigation. Results from this sampling indicated PFAS were detected in our drinking water below the health advisory level established by Illinois EPA. Follow up monitoring is being conducted. For more information about PFAS health advisories http://www.illinois.gov/epa/topic/water

TP-06-Sampled 1/13/2021

PFAS Analyte (Acronym)	Draft Guidance Level	Sample Results
Perfluorobutanesulfonic acid (PFBS)	140,000ng/L (0.14mg/L)	2.2 ng/L
Perfluoroheptanoic acid (PFHpA)	No toxicity criteria available	ND
Perfluorohexanesulfonic acid (PFHxS)	140ng/L (0.00014mg/L)	ND
Perfluorononanoic acid	21ng/L (0.000021mg/L)	ND
Perfluorooctanesulfonic acid (PFOS)	14ng/L (0.000014mg/L)	ND
Perfluorooctanoic acid (PFOA)	2ng/L (0.00002mg/L)	ND
Perfluorodecanoic acid (PFDA)	No toxicity criteria available	ND
Perfluorododecanoic acid (PFDoA)	No toxicity criteria available	ND
Perfluorohexanoic acid (PFHxA)	560,000ng/L (0.56mg/L)	ND
Perfluorotetradecanoic acid (PFTA)	No toxicity criteria available	ND
Perfluorotridecanoic acid (PFTrDA)	No toxicity criteria available	ND
Perfluoroundecanoic acid (PFUnA)	No toxicity criteria available	ND
I I-chloroeicosafluoro-3-oxaundecane-I-sulfonic acid (I I CI-PF3OUdS)	No toxicity criteria available	ND
9-chlorohexadecafluoro-3-oxanone-l sulfonic acid (9CI-PF3ONS)	No toxicity criteria available	ND
4,8 dioxa-3H-perfluorononanoic acid (ADONA)	No toxicity criteria available	ND
N-methyl perfluorooctanesulfonamidacetic acid (NMeFOSAA)	No toxicity criteria available	ND
Hexafluoropropylene oxide dimer acid (HFPO-DA)	560ng/L (0.00056mg/L)	ND
N-ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	No toxicity criteria availble	ND

CITY OF ST. CHARLES WATER QUALITY REPORT Illinois PFAS TP-08 Table

In 2020, our PW's was sampled as part of the State of Illinois PFAS Statewide Investigation. Results from this sampling indicated PFAS were detected in our drinking water below the health advisory level established by Illinois EPA. Follow up monitoring is being conducted. For more information about PFAS health advisories http://www.illinois.gov/epa/topic/water

TP-08-Sampled 12/8/2020

PFAS Analyte (Acronym)	Draft Guidance Level	Sample Results
Perfluorobutanesulfonic acid (PFBS)	140,000ng/L (0.14mg/L)	3.6 ng/L
Perfluoroheptanoic acid (PFHpA)	No toxicity criteria available	ND
Perfluorohexanesulfonic acid (PFHxS)	140ng/L (0.00014mg/L)	2.3 ng/L
Perfluorononanoic acid	21ng/L (0.000021mg/L)	ND
Perfluorooctanesulfonic acid (PFOS)	14ng/L (0.000014mg/L)	ND
Perfluorooctanoic acid (PFOA)	2ng/L (0.00002mg/L)	ND
Perfluorodecanoic acid (PFDA)	No toxicity criteria available	ND
Perfluorododecanoic acid (PFDoA)	No toxicity criteria available	ND
Perfluorohexanoic acid (PFHxA)	560,000ng/L (0.56mg/L)	ND
Perfluorotetradecanoic acid (PFTA)	No toxicity criteria available	ND
Perfluorotridecanoic acid (PFTrDA)	No toxicity criteria available	ND
Perfluoroundecanoic acid (PFUnA)	No toxicity criteria available	ND
I I-chloroeicosafluoro-3-oxaundecane-I-sulfonic acid (I I CI-PF3OUdS)	No toxicity criteria available	ND
9-chlorohexadecafluoro-3-oxanone-l sulfonic acid (9CI-PF3ONS)	No toxicity criteria available	ND
4,8 dioxa-3H-perfluorononanoic acid (ADONA)	No toxicity criteria available	ND
N-methyl perfluorooctanesulfonamidacetic acid (NMeFOSAA)	No toxicity criteria available	ND
Hexafluoropropylene oxide dimer acid (HFPO-DA)	560ng/L (0.00056mg/L)	ND
N-ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	No toxicity criteria availble	ND

Illinois PFAS TP-08 Table (cont)

In 2020, our PW's was sampled as part of the State of Illinois PFAS Statewide Investigation. Results from this sampling indicated PFAS were detected in our drinking water below the health advisory level established by Illinois EPA. Follow up monitoring is being conducted. For more information about PFAS health advisories http://www.illinois.gov/epa/topic/water

TP-08-Sampled 1/13/2021

PFAS Analyte (Acronym)	Draft Guidance Level	Sample Results
Perfluorobutanesulfonic acid (PFBS)	140,000ng/L (0.14mg/L)	2.9 ng/L
Perfluoroheptanoic acid (PFHpA)	No toxicity criteria available	ND
Perfluorohexanesulfonic acid (PFHxS)	140ng/L (0.00014mg/L)	2.3 ng/L
Perfluorononanoic acid	21ng/L (0.000021mg/L)	ND
Perfluorooctanesulfonic acid (PFOS)	14ng/L (0.000014mg/L)	ND
Perfluorooctanoic acid (PFOA)	2ng/L (0.00002mg/L)	ND
Perfluorodecanoic acid (PFDA)	No toxicity criteria available	ND
Perfluorododecanoic acid (PFDoA)	No toxicity criteria available	ND
Perfluorohexanoic acid (PFHxA)	560,000ng/L (0.56mg/L)	2.1 ng/L
Perfluorotetradecanoic acid (PFTA)	No toxicity criteria available	ND
Perfluorotridecanoic acid (PFTrDA)	No toxicity criteria available	ND
Perfluoroundecanoic acid (PFUnA)	No toxicity criteria available	ND
l I-chloroeicosafluoro-3-oxaundecane-I-sulfonic acid (I I CI-PF3OUdS)	No toxicity criteria available	ND
9-chlorohexadecafluoro-3-oxanone-l sulfonic acid (9CI-PF3ONS)	No toxicity criteria available	ND
4,8 dioxa-3H-perfluorononanoic acid (ADONA)	No toxicity criteria available	ND
N-methyl perfluorooctanesulfonamidacetic acid (NMeFOSAA)	No toxicity criteria available	ND
Hexafluoropropylene oxide dimer acid (HFPO-DA)	560ng/L (0.00056mg/L)	ND
N-ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	No toxicity criteria availble	ND

CITY OF ST. CHARLES WATER QUALITY REPORT Source Water Protection Efforts

Source Water Protection Efforts:

Based on geologic conditions, the Illinois Environmental Protection Act provides minimum protection zones of 200 or 400 feet for the City of St. Charles' wells. These minimum protection zones are regulated by the Illinois EPA. To further reduce the risk to the source water, the City has implemented a source water protection program, which includes a source water planning and educational committee, source water protection management strategies and contingency planning. This effort resulted in the community water supply receiving a special exception permit from the Illinois EPA that allows a reduction in the Synthetic Organic Compound monitoring. The outcome of this monitoring reduction has saved the City considerable laboratory analysis costs. In addition, the City has enacted a comprehensive overlay-zoning ordinance to further protect the community water supply wells. This additional protection implements proactive management activity inside the well recharge areas and considers impacts from potential point and non-point sources (such as agricultural land uses) of groundwater contamination. Furthermore, the City has enacted "maximum setback zones" that are authorized by the Illinois Environmental Protection Act, allowing county and municipal officials the opportunity to provide additional potential source prohibitions up to 1,000 feet from their wells. Further information on our community water supply's source water assessment is available by calling the Ground Water Section of the Illinois EPA at (217) 785-4787. The City of St. Charles (Facility Number ILO894830) utilizes seven active community water supply wells. Wells #3, #4, #7, #8, #9, #11 and #13 (Illinois EPA #20099, #20100, #20101, #20103, #20104, #20105, #00392, and #01414 respectively). The combined maximum output of the City wells is approximately 14,100,000 gpd.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water flows over the surface of the land or through the ground, it can dissolve naturally occurring minerals and radioactive material, and can pick up substances resulting from the presence of animals or human activity. Possible contaminants consist of:

<u>Microbial contaminants</u>, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.

<u>Inorganic contaminants</u>, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.

<u>Pesticides and herbicides</u>, which may come from a variety of sources such as agriculture, urban storm water runoff and residential uses.

<u>Organic chemical contaminant</u>, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff and septic systems.

<u>Radioactive contaminants</u>, which may be naturally occurring or be the result of oil and gas production and mining activities.

Drinking water, including bottled water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. Please note that if our water were to exceed any contaminant level, the City is required to notify each customer, informing them of the exceedance. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline, 1-800-426-4791.



Source Water Assessment Lead In "My" Water?

Source Water Assessment:

To determine St. Charles' susceptibility to groundwater contamination, the following documents were reviewed: a Well Site Survey, published in 1992 by the Illinois EPA; and a Source Water Protection Plan prepared by the City of St. Charles, published by Burns and McDonnell in May of 1996. Based on the information obtained in these documents there are 121 potential sources that could pose a hazard to groundwater utilized by the City of St. Charles community water supply wells. Furthermore, information provided by the Leaking Underground Storage Tank and Remedial Project Management Sections of Illinois EPA indicated several additional sites with on-going remediation, which may be of concern.

Based upon this information, the Illinois EPA has determined that the City of St. Charles Community Water Supply's source water has a low susceptibility to Synthetic Organic Compound (SOC) contamination. In addition, Wells #3, #4, and #8 have a low susceptibility to Inorganic Compounds (IOC) and Volatile Organic Compounds (VOC) contamination. However, Wells #7, #9, #11, and #13 may be susceptible to VOC and IOC contamination. These susceptibility ratings are a result of monitoring conducted at the wells and entry point to the distribution system, the land use activities and source water protection initiatives and ordinances enacted by the City.

Furthermore, in anticipation of the USEPA proposed Ground Water Rule, the Illinois EPA has determined that the City of St. Charles community water supply wells have a low susceptibility to viral contamination. This determination is based upon the completed evaluation of the following criteria used in the Vulnerability Waiver Process: the community's wells are properly constructed with sound integrity and proper site conditions; all potential routes and sanitary defects have been mitigated such that the source water is adequately protected; monitoring data did not indicate a history of disease outbreak; and the sanitary survey of the water supply did not indicate a viral contamination threat. However, having stated this, the "[U.S.] EPA is proposing to require States to identify systems in karst, gravel and fractured rock aquifer systems as sensitive and these systems must perform routine source water monitoring". Because the community's wells are constructed in both confined bedrock and unconfined sand and gravel aquifers, the Illinois EPA evaluated the well hydraulics associated with City of St. Charles well fields. Wells #7, #9, #11, and #13, have an appreciable amount of overburden, above the portion of the aquifer contributing a significant quantity of groundwater to the screened interval. This should provide a sufficient degree of filtration to prevent movement of pathogens into the wells.

The City also has in place a Cross Connection Control program, to further ensure protection of the distribution system from contamination. The management of the program has been contracted to Backflow Solutions, Inc. Backflow Solutions maintains a database of devices, test results and biannual survey information.

IS THERE LEAD IN "MY" DRINKING WATER?

First of all, the water St. Charles uses water from the deep and shallow well system (source water) does NOT contain lead. Secondly, lead is NOT in the water mains which carry the water to your home or business. Lead can get into your water by leaching out of water service lines used to supply your home or business. If your building is thirty (30) years old or more, you may have a lead service line connecting your building to the water main. Lead can also get into the water from brass fittings used to couple water service lines together and from the brass fixtures (faucets, valves and couplers) in your home or business. A few years ago, brass contained up to 5% lead. With new legislation effective January 4, 2014, lead had to be removed from brass. Only no-lead brass (containing .25% lead or less) is allowed to be used on any potable water installations.

As you can see in this report and in all past Annual Water Quality Reports, the City of St. Charles obtains the required lead and copper testing samples every three years as mandated by the Illinois Environmental Protection Agency (IEPA). Thirty locations, along with alternates, throughout the distribution system have been selected by the IEPA in which to obtain these samples. Each sampling period has shown St. Charles is compliant with current action levels for lead and copper. You can learn more about lead in drinking water by visiting the IEPA's web site @ http://www.epa.illinois.gov/index.

TIPS:

- Flush your faucet until water is cold before drinking. Usually thirty seconds to a minute does the trick. This removes all the water that has been sitting in the plumbing possibly absorbing lead.
- Only drink and cook with water from the "cold" faucet as hot water absorbs lead from plumbing more than cold water.
- Boiling water will NOT remove lead from it.
- Bathing in water containing lead is considered safe since lead is not absorbed through the skin.

Thank you for taking the time to review this report. Please be assured that the Mayor, City Council and City Staff are dedicated to protecting the water supply. Questions or comments can be directed to Public Works at pw@stcharlesil.gov or at 630-377-4405.

