City of St. Charles Commercial or Industrial: Alteration or Repair



Building & Code Enforcement Division 2 East Main Street St. Charles IL 60174 630.377.4406 (Office) http://www.stcharlesil.gov permits@stcharlesil.gov

Please direct any and all questions to the Building & Code Enforcement Division: Monday through Friday (8 AM to 4:30 PM) at 630.377.4406

A building permit is required prior to any construction of an industrial or commercial alteration or repair. The following are guidelines and comments for obtaining a building permit.

Application and Drawings Procedures

Interior Alteration or Repair

- An application is to be filled out and submitted to the Building & Code Enforcement. The contractors names, addresses, phone numbers and, if required, their license numbers are to be filled out when submitting the application.
- Three (3) sets of drawings sealed by an Illinois registered architect, showing the construction or remodeling details, are to be submitted with the application.
- An Electric Service application If applicable must be completed and submitted with the application. In addition, any electrical work pertaining to the electric service the Electric Service Application must be accompanied by four (4) sets of drawings showing the complete electric service including a one-line service diagram, electric panel schedules and site location of utility transformer, sealed by a professional engineer or qualified architect are to be submitted with the original application. St. Charles Municipal Electric Utility Application must be original; no fax copies are acceptable.
- □ See the attached form for contractor requirements.
- □ Fire sprinkler or fire alarm plans shall be submitted to the Fire Department These are a deferred submittal.
- ☐ If the business is food related, provide documentation plans have been approved by the Kane County Health Department. This is required before building permit will be issued.
- □ The Building & Code Enforcement Division and the Fire Prevention Bureau will conduct the review for interior alterations, remodel, or repair. Questions for the Building Zoning review should be addressed to our office at 630/377-4406. Questions for the Fire Prevention review should be addressed to their office at 630/377-4457.

Application – Permit Fees (All payments are to be made either in the form of cash, check, or money order):

- ⇒ A filing fee of \$375.00 is to be paid at time of submission of application and plans.
 - Additional fees for your permit are to be paid at the time the permit is approved and ready to be obtained.
 - \$100.00 for the first \$10,000.00. (Estimated cost of construction)
 - o \$10.00 for every Additional \$1,000.00. (Estimated cost of construction)
 - Additional fees for utility connections, if required, such as electric, water, sewer connections or water meters are to be paid at the time the permit is approved.
- ⇒ **Re-inspection fee.** During the construction of your project should you fail any of the required inspections there is a re-inspection charge. The fees are due prior to certificate of occupancy. The fee schedule is as follows:
 - \$80.00 per Building Division re-inspection for all types of inspections during construction (excluding finals)
 - \$80.00 per Fire Prevention re-inspection for all types of inspections during construction (excluding finals)
- ⇒ **Temporary certificate of occupancies**. \$170.00 is due prior to issuance of a temporary certificate of occupancy for all industrial, commercial, business and other non-residential final inspections. Any temporary occupancy will also be required to submit a cash bond covering the outstanding work. This cash bond is refundable at time of Final occupancy.

Transportation Impact Fee:

Kane County collects a Transportation Impact Fee. This fee is not collected by the City of St. Charles and is not included in any permit fees calculated by the City.

Information regarding the Impact Fee can be found here: http://kdot.countyofkane.org/

Building Codes

The following are the Building Codes, which the City of St. Charles has adopted:

- □ St. Charles Municipal Code
- □ 2021 International Building Code w/amendments
- □ 2021 International Mechanical Code w/amendments
- □ 2020 National Electrical Code w/amendments
- □ 2021 International Fuel and Gas Code w/amendments
- □ 2014 IL State Plumbing Code
- □ 2021 International Fire Codes w/amendments
- □ 2021 International Energy Conservation Code
- □ IL Accessibility Codes
- □ NFPA Life Safety Code

Inspections

The following is a list of inspections, which might be required for your project and the amount of time for the inspection.

- □ Rough Plumbing
- □ Rough Electric
- □ Rough Framing
- **□** Above Ceiling/Firestopping
- □ Insulation
- Mechanical/HVAC
- □ Final

Overtime Inspections:

The Building & Code Enforcement Division Manager or his designee may approve requests for overtime inspections for unique circumstances. The charge for an overtime inspection will be a separate charge and will be invoiced to the individual contractor or company who requested the overtime inspection.

General Comments

- 1. Compliance with above indicated codes, ordinances, and inspections required.
- 2. The plan review and stamped "FIELD COPY" of the plans are to be on the job site.
- 3. Minimum of 24-hour notice is required when scheduling any inspections.
- 5. It is the responsibility of the general contractor to provide all sub-contractors with copies of all review comments and the required inspections which are needed.
- 6. Location of the electric service and transformer to be approved by the City's Electric Department (630/377-4407).
- 8. Each building/tenant space shall have one (1) main means of disconnecting the electrical service conductors from the building/tenant space.
- 9. Where an external main disconnect is not "readily accessible", an additional main disconnect must be installed inside building.
- 10. Utility Conduit to be no less than five (5") inches per City's specification.
- 11. One (1) line riser diagram of electric service is to be posted by main switchgear inside building.
- 12. Conductors entering the transformer shall be below the manufacturers mark line on the inside front panel of transformer. If the manufacturers mark has been removed, the conductors are to be below coils of transformer.
- 15. Potable water piping system shall be disinfected in accordance to Section 890.1180 of the Illinois State Plumbing Code, 2014 Edition.
- 16. Provide a by-pass with locking valve around all water meters larger than one (1") inch. By pass to be same size as domestic water service, but in no case less than one (1") inch.

- 17. A reduced pressure backflow preventer (RP-BFP) listed by and bearing a label or seal of a nationally recognized testing laboratory as listed in Section 890 Appendix A Table A 39 of the Illinois State Plumbing Code 2014 Edition shall be installed between the potable water supply and the fire sprinkler system. (RP-BFP) to be installed inside building as close to the entrance of the potable water supply as possible and shall be placed so that it is readily accessible for inspection, testing, maintenance and/or replacement. A floor drain sized to accommodate any discharge from the (RP-BFP) shall be installed as close as possible to the (RP-BFP). The drain line from the reduced pressure backflow preventer shall waste into the sanitary drainage system through an air gap.
- 18. Any lawn sprinkler system connected to the municipal water supply shall be equipped with a RP-BFP listed and bearing a label or seal of a nationally recognized testing laboratory as listed in Section 890 Appendix A Table A39 of the Illinois State Plumbing Code 2014 Edition installed on the service side of the water meter serving the lawn sprinkler system.
- 22. Plumbing fixtures shall comply with Section 890.610 General Requirements Material and Design."
- 23. Domestic water supply to boilers to be equipped with a backflow preventer conforming to Section 890.1130 Protection of Potable Water f)1)2) of the Illinois State Plumbing Code 2014 Edition.
- 24. All mechanical equipment, such as HVAC units, refrigeration units, and pool equipment located on the roof of any structure in any zoning district shall be screened from view from public streets and adjoining residential dwellings by its location on the roof (away from the parapet), by an architectural element of the building (e.g. a parapet), by a screening wall that is compatible with materials of the building, or a combination thereof.
- 25. Above ground DWV system shall be no less than schedule 40 or cell core PVC and shall be tested to top of stack or point of the connection into existing stack.
- 26. Underground DWV system shall be tested with no less than a ten-foot (10') head of water.
- 27. An occupancy certificate shall not be issued until all items have been addressed and approved.

Call (630) 377-4406 to schedule inspections at least 24-48 hours before needed and required inspections will be listed on the permit conditions.

Call J.U.I.L.E (811) or (800) 892-0123 Before you Dig - Prior to any digging to locate any underground utilities.

City of St. Charles

Municipal Electric Office

1405 S 7th Avenue, St. Charles, IL 60174 630/377-4407



Electric Service Application – New Service/Upgrade (Each individual service will require a complete and separate application)

Name:		Pho	ne:			
Original Signature:		Fax:	:			
Contact Name:		Pho!	ne:			
Email Address:						
Application Date:		Requested Service Date:	:			
Existing Building Residential Commercial Industrial Upgrade Service Relocate Service Convert OH to UG	Other Temp Connection Street Lights Traffic Signals New Service Relocate Antenna Site Signage Lights Solar Wind-Generator	Industrial	Service Voltage Requested Single Phase 120/240 Three Phase 120/208 277/480 Other osed Generator kW			
	Service Panel: Present Rating (amps) Proposed Rating (amps) Proposed Connected KW:					
	Present Peak KW (Demand) Estimated Peak KW (Demand) Proposed Interconnected Kw AC					
` -	e and accurate service add	VICE ADDRESS Idress is required before service	·			
Subdivision: Lot # Real Estate Permanent Tax # Legal Description (attach sheet if necessary): Record Titleholder of property: If property is held in trust, identify beneficial owner (s): Address:						
		BILLING INFORMATION				
(This information will be used for utility billing purposes)						
Name:						
Street Address:						
City/State/Zip		Phone:				
	e or agent:					
Note: Only Cash or Che	eck can be used for navme	ant				

	BUILDING DIVI	SION OFFICE USE	
Application Accepted By:		Date Application Received:	
Date Payment Received:		Method of Payment:	
Building Permit No.:			
	ELECTRIC DEPA	RTMENT CHARGES	
Charges Calculated by:		Date:	
<u>ITEM</u>	ACCOUNT #	CHARGES (\$)	AMOUNT PAID
Project Cost:	- 200999 45405		_
SOCC: VACANT	200999 48500		_
SECC: VACANT	200999 48501		_
SOCC:	200999 48502		N/A
SECC:	200999 48503		
Upgrade Charges:	200999 48504		
Engineering:	200999 45206		_
Temp Connection:	200999 45407		_
Electric Improvement:	200999 45404		_
Relocation	·		_
Subtotal			N/A
Less contribution- if applicable			N/A
Total Amount of C	horaes		
Total Amount of C	nai ges:		_

Electric Project No.:	<u>:</u>	



The City of St. Charles is updating their contractor requirements for submitting building and right-of-way permits. Starting January 1, 2025, the following contractor requirements are required to be submitted for permit.

GENERAL CONTRACTORS

All contractors shall file with the City, prior to the issuance of a building permit, a Certificate of Insurance with coverages as follows:

- Public liability insurance for one person in the sum of \$100,000 and for one accident in the sum of \$300,000 or a combined single limit of \$300,000
- Property damage insurance in the amount of \$50,000 limited to not less than \$10,000 for each accident.

Work in City Right of Way/Public Property

- Commercial general liability insurance with limits not less than:
 - \$1,000,000.00 for property damage resulting from any one incident.
 - \$2,000,000.00 general aggregate.
 - o \$2,000,000.00 for umbrella coverage.
- Worker's compensation within statutory limits and employer's liability limits of not less than \$1,000,000.00.
- Automobile liability limits of not less than \$1,000,000.00.
- List the City of St Charles as the certificate holder

PLUMBING CONTRACTORS

- Plumbing contractors must be licensed in accordance with State statutes (055 license)
- Provide a copy of the plumber's photo ID license and Letter of Intent

ELECTRICAL CONTRACTORS

- Surety company bond payable to the City in the penal sum of \$10,000
- Electrical contractors must be licensed in a municipality in Illinois and provide evidence that such license is in good standing.

BLACKTOP, CONCRETE, & PAVER BRICK CONTRACTORS

- Insurance same as requirements for general contractors or work in ROW.
- Surety company bond payable to the City in the penal sum of \$10,000
- List City of St Charles as certificate holder.

ROOFING CONTRACTORS

- Roofing contractors must be licensed by the State of Illinois and provide evidence that such license is in good standing
- Commercial roofing contractor must provide a copy of unlimited roofer's license.

WATER & SEWER CONTRACTORS

- Insurance same as requirements for general contractors or work in ROW.
- Surety company bond payable to the City in the penal sum of \$10,000

EXCAVATOR

- Excavators are typically covered under the general contractor except when they are applying for the permit (e.g. in ground pool):
- Insurance same as requirements for general contractors or work in ROW.
- Surety company bond payable to the City in the penal sum of \$10,000

HVAC

- HVAC contractors are typically covered under the General Contractor except when they are applying for the permit (e.g. furnace):
- Insurance same as requirements for general contractors



PHONE: (630) 377-4406 FAX (630) 443-4638

Email:

CITY OF ST CHARLES Application for Building Permit for Commercial/Industrial Alteration

DEPARTMENT: Building & Code Enforcement Division

Email:____

Application Date: Parcel No. ______ Permit No. PLEASE PRINT ALL INFORMATION I, ______, do hereby apply for a permit for the following described work located at ______ Estimated Cost:_____ Description of proposed work: Sq. Ft. of Construction area:______
Existing Elec. Service amps. ______ Size & number of existing Water Meters :______ Will this work include moving, upgrading or replacing the Electric, Water or Sanitary Service? Yes No (circle one) Name of business at this location: All items on the Checklist for New Commercial and Industrial Buildings are to be submitted together to be considered a complete submittal. Applications missing submittal items will not be accepted. ☐ Is your property located in the Historic Preservation District? (Yes – No) If yes, your application and plans will need to be reviewed by the Historic Preservation Commission. Submit a Certificate of Appropriateness application. Three (3) sets of drawings sealed by an Illinois registered architect, showing the construction or remodeling details, are to be submitted with the application An Electric Service Application form must be completely filled out and signed. **☐** See the attached form for contractor requirements. ☐ If the business is food related, provide documentation plans have been approved by the Kane County Health Department. This is required before building permit will be issued. Fire Department requires Fire sprinkler and fire alarm permits, these can be deferred submittals. Submittal Fee is \$375.00, Submittal fee is due at time of submittal. PAYABLE BY CASH, CHECK, TO THE CITY OF ST. CHARLES OR CREDIT CARD (IN OUR OFFICE ONLY). Applications missing submittal items will not be accepted. Contractor requirements must be submitted at the time of application. **Owner of the Property: Applicant:** Address: Address: City/State/Zip Code:_____ City/State/Zip Code:_____ Telephone NO.____ Telephone NO.____

Alteration or Repair Commercial/Industrial Construction Application - Page 2

General Contractor:	Electrical Contractor:	
Name:	Name:	
Address:	Address:	
City/State/Zip Code:	City/State/Zip Code:	
Telephone NO.	Telephone NO	
Email:	Email:	
Plumbing Contractor:	Roofing Contractor:	
Name:	Name:	
Address:	Address:	
City/State/Zip Code:	City/State/Zip Code:	
Telephone NO.		
Email:		
Concrete Contractor:	HVAC Contractor:	
Name:	Name:	
Address:	Address:	
City/State/Zip Code:	City/State/Zip Code:	
Telephone NO.		
Email:	Email:	
Sewer and Water Contractor:	Contractor:	
Name:	Name:	
Address:	A ddmagg.	
City/State/Zip Code:	City/State/Zip Code:	
Telephone NO.		
Email:	Email:	
and other applicable ordinances of the City of St. Chaccording to the provisions of said ordinances. I, or have done, said work according to plans, specification am familiar with the applicable ordinances and the presponsible for all work accomplished under the perinspections as required at a minimum of 24-hours be		
PRINT NAME:	SIGNATURE:	
Building Division Approval:		
Signed:	Date:	