



January 31, 2020

Re: 2020 MFT Street Program – Addendum #1

Dear Bidder:

**Addendum Instructions:**

- Verify that the addendum package includes a total of six pages, including this cover page.
- Fill out the information below and include a copy of the entire addendum, including the cover page in your bid submittal in order for your bid to be accepted.

**Bidder Name:** \_\_\_\_\_

**Contact Name:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**Phone:** \_\_\_\_\_

**Fax:** \_\_\_\_\_

**Email:** \_\_\_\_\_

- Changes to summary of quantities includes addition of pay items 55101400 and 550A0430
- Work to be completed already included in bid-plan set on sheet 30. No revision required.
- Changes to BLR 12200a includes addition of pay items 55101400 and 550A0430

RAYMOND P. ROGINA *Mayor*

MARK KOENEN, P.E. *City Administrator*

TWO EAST MAIN STREET

ST. CHARLES, IL 60174

PHONE: 630-377-4400

FAX: 630-377-4440

[www.stcharlesil.gov](http://www.stcharlesil.gov)

**Additional Pay Items**

Update contract to include two additional pay items of the description and quantities listed below. Pay items shall be in accordance with the Standard Specifications for Road and Bridge Construction adopted April 1, 2016.

<b>Item Number</b>	<b>Pay Item Description</b>	<b>Unit</b>	<b>Quantity</b>
55101400	STORM SEWER REMOVAL 30"	LF	8
550A0430	STORM SEWERS, CLASS A, TYPE 2 30"	LF	8

If you have any additional questions, please contact Chris Gottlieb at [cgottlieb@stcharlesil.gov](mailto:cgottlieb@stcharlesil.gov) (630) 377-4408.

Sincerely yours,



Chris Gottlieb, P.E.  
Civil Engineer II

RETURN WITH BID



SCHEDULE OF PRICES

County Kane  
 Local Public Agency City of St. Charles  
 Section 20-00113-00-RS  
 Route Various

Schedule for Single Bid

(For complete information covering these items, see plans and specifications)

MAIN BID

Item No.	Items	Unit	Quantity	Unit Price	Total
20201200	REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL	CY	592.00		
21001000	GEOTECHNICAL FABRIC FOR GROUND STABILIZATION	SY	1,125.00		
21101615	TOPSOIL FURNISH AND PLACE, 4"	SY	2,739.00		
25000100	SEEDING, CLASS 1	AC	1.00		
25100630	EROSION CONTROL BLANKET	SY	2,739.00		
30300112	AGGREGATE SUBGRADE IMPROVEMENT 12"	SY	879.00		
35101600	AGGREGATE BASE COURSE, TYPE B 4"	SY	544.00		
35101800	AGGREGATE BASE COURSE, TYPE B 6"	SY	138.00		
35102200	AGGREGATE BASE COURSE, TYPE B 10"	SY	1,125.00		
40600275	BITUMINOUS MATERIALS (PRIME COAT)	POUND	19,533.00		
40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	29,540.00		
40600982	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SY	890.00		
40603080	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50	TON	1,094.00		
40603200	POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-4.75, N50	TON	1,141.00		
40603335	HOT-MIX ASPHALT SURFACE COURSE, MIX "D" N50	TON	5,465.00		
42300200	PCC DRIVEWAY PAVEMENT, 6 INCH	SY	752.00		
42400200	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH	SF	9,072.00		
42400300	PORTLAND CEMENT CONCRETE SIDEWALK 6 INCH	SF	1,345.00		
42400800	DETECTABLE WARNINGS	SF	532.00		
44000100	PAVEMENT REMOVAL	SY	1,125.00		
44000156	HOT-MIX ASPHALT SURFACE REMOVAL, 1 3/4"	SY	18,245.00		
44000157	HOT-MIX ASPHALT SURFACE REMOVAL, 2"	SY	1,411.00		
44000159	HOT-MIX ASPHALT SURFACE REMOVAL, 2-1/2"	SY	22,119.00		
44000161	HOT-MIX ASPHALT SURFACE REMOVAL, 3"	SY	639.00		
44000163	HOT-MIX ASPHALT SURFACE REMOVAL, 3 1/2"	SY	7,409.00		
44000200	DRIVEWAY PAVEMENT REMOVAL	SY	752.00		
44000600	SIDEWALK REMOVAL	SF	10,487.00		
44201672	CLASS D PATCHES, TYPE II, 2 INCH	SY	313.00		
44201692	CLASS D PATCHES, TYPE II, 4 INCH	SY	284.00		
44201705	CLASS D PATCHES, TYPE II, 5 INCH	SY	648.00		
44201729	CLASS D PATCHES, TYPE II, 7 INCH	SY	470.00		
44201741	CLASS D PATCHES, TYPE II, 8 INCH	SY	520.00		
67100100	MOBILIZATION	LS	1.00		
70102620	TRAFFIC CONTROL AND PROTECTION, STANDARD 701501	LS	1.00		
70102640	TRAFFIC CONTROL AND PROTECTION, STANDARD 701801	LS	1.00		
70300100	SHORT TERM PAVEMENT MARKING	LF	100.00		
70300150	SHORT TERM PAVEMENT MARKING REMOVAL	SF	100.00		
78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS & SYMBOLS	SF	10.00		
78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	LF	50.00		
78000400	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	LF	594.00		
Total from Page 1:					

RETURN WITH BID



**Illinois Department  
of Transportation**

**SCHEDULE OF PRICES**

County Kane  
 Local Public Agency City of St. Charles  
 Section 20-00113-00-RS  
 Route Various

**Schedule for Single Bid**

(For complete information covering these items, see plans and specifications)

**MAIN BID (CONTINUED)**

Item No.	Items	Unit	Quantity	Unit Price	Total
78000600	THERMOPLASTIC PAVEMENT MARKING – LINE 12"	LF	279.00		
78000650	THERMOPLASTIC PAVEMENT MARKING – LINE 24"	LF	194.00		
X0326806	WASHOUT BASIN	LS	1.00		
X0327611	REMOVE AND REINSTALL BRICK PAVER	SF	375.00		
X4400220	CURB REMOVAL AND REPLACEMENT	LF	5,171.00		
Z0004510	HOT-MIX ASPHALT DRIVEWAY PAVEMENT, 3"	SY	1,394.00		
Z0004544	HOT-MIX ASPHALT DRIVEWAY PAVEMENT REMOVAL	SY	1,394.00		
Z0042300	PORTLAND CEMENT CONCRETE SIDEWALK CURB	LF	50.00		
1	CURB REMOVAL AND REPLACEMENT - CONTINUOUS	LF	2,954.00		
20800150	TRENCH BACKFILL	CY	244.00		
28000510	INLET FILTERS	EA	112.00		
54213657	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 12"	EA	2.00		
55100300	STORM SEWER REMOVAL 8"	LF	42.00		
55100500	STORM SEWER REMOVAL 12"	LF	84.00		
55100700	STORM SEWER REMOVAL 15"	LF	46.00		
55100900	STORM SEWER REMOVAL 18"	LF	4.00		
55101200	STORM SEWER REMOVAL 24"	LF	50.00		
56103000	DUCTILE IRON WATER MAIN 6"	LF	6.00		
56103100	DUCTILE IRON WATER MAIN 8"	LF	210.00		
550A0050	STORM SEWERS, CLASS A, TYPE 1 12"	LF	62.00		
550A0340	STORM SEWERS, CLASS A, TYPE 2 12"	LF	22.00		
550A0360	STORM SEWERS, CLASS A, TYPE 2 15"	LF	26.00		
550A0410	STORM SEWERS, CLASS A, TYPE 2 24"	LF	50.00		
60200305	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 3 FRAME AND GRATE	EA	1.00		
60207105	CATCH BASINS, TYPE C, TYPE 3 FRAME AND GRATE	EA	2.00		
60218300	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, OPEN LID	EA	2.00		
60218400	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID	EA	4.00		
60235700	INLETS, TYPE A, TYPE 3 FRAME AND GRATE	EA	5.00		
60248700	VALVE VAULTS, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID	EA	3.00		
60250400	CATCH BASINS TO BE ADJUSTED WITH NEW TYPE 1 FRAME OPEN LID	EA	5.00		
60250600	CATCH BASINS TO BE ADJUSTED WITH NEW TYPE 3 FRAME AND GRATE	EA	1.00		
60255800	MANHOLES TO BE ADJUSTED WITH NEW TYPE 1 FRAME, CLOSED LID	EA	8.00		
60260300	INLETS TO BE ADJUSTED WITH NEW TYPE 1 FRAME, OPEN LID	EA	2.00		
60265900	VALVE VAULTS TO BE ADJUSTED WITH NEW TYPE 1 FRAME, CLOSED LID	EA	10.00		
60266100	VALVE VAULTS TO BE RECONSTRUCTED	EA	3.00		
60300105	FRAMES AND GRATES TO BE ADJUSTED	EA	24.00		
60300305	FRAMES AND LIDS TO BE ADJUSTED	EA	23.00		
60406100	FRAMES AND LIDS, TYPE 1, CLOSED LID	EA	2.00		
60500040	REMOVING MANHOLES	EA	8.00		
60500050	REMOVING CATCH BASINS	EA	3.00		
60500060	REMOVING INLETS	EA	7.00		
X0322464	ABANDON AND FILL EXISTING SANITARY MANHOLE	EA	3.00		
				Carried forward from page 1	
				Total from page 2	



## SUMMARY OF QUANTITIES

### HOT MIX ASPHALT CHART

HOT-MIX ASPHALT MIXTURE REQUIREMENTS	
MIXTURE TYPE	AIR VOIDS @ Ndes
PAVEMENT RESURFACING	
HOT-MIX ASPHALT SURFACE COURSE, MIX "D", IL-9.5, N50	4% @ 50 Gyr.
HOT-MIX ASPHALT BINDER COURSE IL-19.0, N50	4% @ 50 Gyr.
POLYMERIZED HOT-MIX ASPHALT BINDER COURSE IL-4.75, N50	3.5% @ 50 Gyr.
DRIVEWAYS	
HOT-MIX ASPHALT SURFACE COURSE, MIX "D", IL-9.5, N50, 3"	4% @ 50 Gyr.
PATCHING	
CLASS D PATCHES (HMA BINDER IL-19.0, N50)	4% @ 50 Gyr.

THE UNIT WEIGHT USED TO CALCULATE ALL HMA SURFACE MIXTURE QUANTITIES IS 112 LBS/SQ YD/IN.

THE "AC TYPE" FOR POLYMERIZED HMA MIXES SHALL BE "SBS/SBR PG 76-22" AND FOR NON-POLYMERIZED HMA THE "AC TYPE" SHALL BE "PG 64-22" UNLESS MODIFIED BY DISTRICT ONE SPECIAL PROVISIONS.

FOR USE OF RECYCLED MATERIALS SEE SPECIAL PROVISIONS.

### SEQUENCE OF OPERATIONS

THE CONTRACTOR SHALL COORDINATE HIS WORK IN A MANNER THAT WILL CAUSE AS LITTLE INCONVENIENCE TO TRAFFIC AS POSSIBLE. THE CONTRACTOR SHALL WORK CLOSELY WITH CITY OFFICIALS, FIRE AND POLICE DEPARTMENTS TO MINIMIZE INTERRUPTION TO NORMAL TRAFFIC AND PARKING FACILITIES, ACCESS TO HOMES AND BUSINESSES, AND INCONVENIENCES TO THE PUBLIC.

THE PROPOSED SEQUENCE OF WORK IS AS FOLLOWS:

- a. CONSTRUCTION STAKING AND IDENTIFICATION OF UTILITY REPAIR LOCATIONS.
- b. REHABILITATE/REPLACE EXISTING STORM, WATER, AND SANITARY UTILITIES.
- c. CLEAN ALL STRUCTURES.
- d. OBTAIN PUBLIC WORK'S ACCEPTANCE OF ALL NEW UTILITY INSTALLATIONS BY PERFORMING A FINAL ENGINEERING INSPECTION.
- e. REMOVE AND REPLACE CURB AND SIDEWALK SECTIONS.
- f. REMOVE AND REPLACE DRIVEWAY APRONS.
- g. GRIND THE HMA SURFACE AND BASE OR REMOVE PCC PAVEMENT.
- h. PROOF-ROLL THE EXISTING BASE AS NEEDED.
- i. PERFORM UNDERCUTS, AGGREGATE SUBGRADE IMPROVEMENT, AND PAVEMENT PATCHING AS DIRECTED BY THE ENGINEER.
- j. APPLY TACK/PRIME COAT.
- k. PLACE HMA BINDER COURSE.
- l. ADJUST ALL UTILITY STRUCTURES, LOCKING FRAMES AND COVERS IN THE ROADWAY WITH CONCRETE.
- m. OBTAIN PUBLIC WORK'S ACCEPTANCE OF ALL UTILITY STRUCTURE ADJUSTMENTS, REBUILDS AND CONCRETE COLLARS. CONTRACTOR TO PROVIDE LABORER TO REMOVE LIDS/GRATES FOR INSPECTIONS. ALL REPAIRED/ADJUSTED STRUCTURES SHALL BE CLEANED AS REQUIRED PRIOR TO FINAL ENGINEERING INSPECTION.
- n. RESTORE PARKWAY.
- o. PLACE HMA SURFACE COURSE.
- p. SWEEP STREET AS REQUIRED.
- q. PLACE PAVEMENT MARKINGS.
- r. REMOVE ALL REMAINING TRAFFIC CONTROL PROTECTION AND PUBLIC NOTIFICATION APPURTENANCES.

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT	TOTAL QTY
<b>MFT PAY ITEMS</b>			
20201200	REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL	CY	592.00
21001000	GEO TECHNICAL FABRIC FOR GROUND STABILIZATION	SY	1,125.00
21101615	TOPSOIL FURNISH AND PLACE, 4"	SY	2,739.00
25000100	SEEDING, CLASS 1	AC	1.00
25100630	EROSION CONTROL BLANKET	SY	2,739.00
30300112	AGGREGATE SUBGRADE IMPROVEMENT 12"	SY	879.00
35101600	AGGREGATE BASE COURSE, TYPE B 4"	SY	544.00
35101800	AGGREGATE BASE COURSE, TYPE B 6"	SY	138.00
35102200	AGGREGATE BASE COURSE, TYPE B 10"	SY	1,125.00
40600275	BITUMINOUS MATERIALS (PRIME COAT)	POUND	19,533.00
40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	29,540.00
40600982	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SY	890.00
40603080	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50	TON	1,094.00
40603200	POLYMERIZED HOT-MIX ASPHALT BINDER COURSE, IL-4.75, N50	TON	1,141.00
40603335	HOT-MIX ASPHALT SURFACE COURSE, MIX "D" N50	TON	5,465.00
42300200	PCC DRIVEWAY PAVEMENT, 6 INCH	SY	752.00
42400200	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH	SF	9,072.00
42400300	PORTLAND CEMENT CONCRETE SIDEWALK 6 INCH	SF	1,345.00
42400800	DETECTABLE WARNINGS	SF	532.00
44000100	PAVEMENT REMOVAL	SY	1,125.00
44000156	HOT-MIX ASPHALT SURFACE REMOVAL, 1 3/4"	SY	18,245.00
44000157	HOT-MIX ASPHALT SURFACE REMOVAL, 2"	SY	1,411.00
44000159	HOT-MIX ASPHALT SURFACE REMOVAL, 2-1/2"	SY	22,119.00
44000161	HOT-MIX ASPHALT SURFACE REMOVAL, 3"	SY	639.00
44000163	HOT-MIX ASPHALT SURFACE REMOVAL, 3 1/2"	SY	7,409.00
44000200	DRIVEWAY PAVEMENT REMOVAL	SY	752.00
44000600	SIDEWALK REMOVAL	SF	10,487.00
44201672	CLASS D PATCHES, TYPE II, 2 INCH	SY	313.00
44201692	CLASS D PATCHES, TYPE II, 4 INCH	SY	284.00
44201705	CLASS D PATCHES, TYPE II, 5 INCH	SY	648.00
44201729	CLASS D PATCHES, TYPE II, 7 INCH	SY	470.00
44201741	CLASS D PATCHES, TYPE II, 8 INCH	SY	520.00
67100100	MOBILIZATION	LS	1.00
70102620	TRAFFIC CONTROL AND PROTECTION, STANDARD 701501	LS	1.00
70102640	TRAFFIC CONTROL AND PROTECTION, STANDARD 701801	LS	1.00
70300100	SHORT TERM PAVEMENT MARKING	LF	100.00
70300150	SHORT TERM PAVEMENT MARKING REMOVAL	SF	100.00
78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS & SYMBOLS	SF	10.00
78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	LF	50.00
78000400	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	LF	594.00
78000600	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	LF	279.00
78000650	THERMOPLASTIC PAVEMENT MARKING - LINE 24"	LF	194.00
X0326806	WASHOUT BASIN	LS	1.00
X0327611	REMOVE AND REINSTALL BRICK PAVER	SF	375.00
X4400220	CURB REMOVAL AND REPLACEMENT	LF	5,171.00
Z0004510	HOT-MIX ASPHALT DRIVEWAY PAVEMENT, 3"	SY	1,394.00
Z0004544	HOT-MIX ASPHALT DRIVEWAY PAVEMENT REMOVAL	SY	1,394.00
Z0042300	PORTLAND CEMENT CONCRETE SIDEWALK CURB	LF	50.00
1	CURB REMOVAL AND REPLACEMENT - CONTINUOUS	LF	2,954.00

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT	TOTAL QTY
<b>CORPORATE PAY ITEMS</b>			
20800150	TRENCH BACKFILL	CY	244.00
28000510	INLET FILTERS	EA	112.00
54213657	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 12"	EA	2.00
55100300	STORM SEWER REMOVAL 8"	LF	42.00
55100500	STORM SEWER REMOVAL 12"	LF	84.00
55100700	STORM SEWER REMOVAL 15"	LF	46.00
55100900	STORM SEWER REMOVAL 18"	LF	4.00
55101200	STORM SEWER REMOVAL 24"	LF	50.00
56103000	DUCTILE IRON WATER MAIN 6"	LF	6.00
56103100	DUCTILE IRON WATER MAIN 8"	LF	210.00
550A0050	STORM SEWERS, CLASS A, TYPE 1 12"	LF	62.00
550A0340	STORM SEWERS, CLASS A, TYPE 2 12"	LF	22.00
550A0360	STORM SEWERS, CLASS A, TYPE 2 15"	LF	26.00
550A0410	STORM SEWERS, CLASS A, TYPE 2 24"	LF	50.00
60200305	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 3 FRAME AND GRATE	EA	1.00
60207105	CATCH BASINS, TYPE C, TYPE 3 FRAME AND GRATE	EA	2.00
60218300	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, OPEN LID	EA	2.00
60218400	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID	EA	4.00
60235700	INLETS, TYPE A, TYPE 3 FRAME AND GRATE	EA	5.00
60248700	VALVE VAULTS, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID	EA	3.00
60250400	CATCH BASINS TO BE ADJUSTED WITH NEW TYPE 1 FRAME OPEN LID	EA	5.00
60250600	CATCH BASINS TO BE ADJUSTED WITH NEW TYPE 3 FRAME AND GRATE	EA	1.00
60255800	MANHOLES TO BE ADJUSTED WITH NEW TYPE 1 FRAME, CLOSED LID	EA	8.00
60260300	INLETS TO BE ADJUSTED WITH NEW TYPE 1 FRAME, OPEN LID	EA	2.00
60265900	VALVE VAULTS TO BE ADJUSTED WITH NEW TYPE 1 FRAME, CLOSED LID	EA	10.00
60266100	VALVE VAULTS TO BE RECONSTRUCTED	EA	3.00
60300105	FRAMES AND GRATES TO BE ADJUSTED	EA	24.00
60300305	FRAMES AND LIDS TO BE ADJUSTED	EA	23.00
60406100	FRAMES AND LIDS, TYPE 1, CLOSED LID	EA	2.00
60500040	REMOVING MANHOLES	EA	8.00
60500050	REMOVING CATCH BASINS	EA	3.00
60500060	REMOVING INLETS	EA	7.00
X0322464	ABANDON AND FILL EXISTING SANITARY MANHOLE	EA	3.00
X6026051	SANITARY MANHOLES TO BE RECONSTRUCTED	EA	4.00
X6026622	VALVE VAULTS TO BE REMOVED	EA	2.00
2	REMOVE & REPLACE SANITARY SEWER SERVICE, 6" PVC, SDR 26	LF	34.00
3	SANITARY MANHOLE 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID	EA	8.00
4	SANITARY MANHOLE CHIMNEY SEAL	EA	17.00
5	SANITARY SEWER NEW 8" DROP CONNECTION	EA	1.00
6	SANITARY SEWER SERVICE, 6" PVC, SDR 26	LF	30.00
7	SANITARY SEWERS 8" PVC SDR 26	LF	112.00
8	SANITARY SEWERS 12" PVC SDR 26	LF	180.00
9	REMOVE 4" SUMP LINE AND REPLACE WITH 6" PVC	LF	100.00
10	STORM SEWER PIPE, REMOVE 10" VCP AND REPLACE WITH 10" PVC, SDR 26	LF	44.00
11	SEWER PIPE, REMOVE 12" VCP AND REPLACE WITH 12" PVC, SDR 26	LF	48.00
12	STORM SEWER PIPE, REMOVE 8" VCP AND REPLACE WITH 10" PVC, SDR 26	LF	22.00
13	STORM SEWER REMOVE AND REPLACE 6" PVC	LF	30.00
14	STORM SEWER PVC 12", SDR 26	LF	64.00
15	STORM SEWER PVC 15", SDR 26	LF	20.00
16	FIRE HYDRANT ASSEMBLY - REMOVE & REPLACE	EA	8.00
17	FIRE HYDRANT ASSEMBLY - NEW	EA	1.00
18	RAISE FIRE HYDRANT 6"	EA	1.00
19	AUXILIARY BOXES TO BE REPLACED	EA	1.00
20	REMOVE & REPLACE B-BOX	EA	17.00
21	REMOVE & REPLACE B-BOX & CURB STOP	EA	9.00
22	REMOVE 4" VALVE IN BOX & REPLACE W/ 4" VALVE IN 4' DIA. VAULT	EA	1.00
23	REPLACE 4" VALVE IN EXISTING VAULT	EA	4.00
24	REPLACE 6" VALVE IN EXISTING VAULT	EA	2.00
25	NEW 8" VALVE	EA	2.00
26	VALVE BOLT REPLACEMENT	EA	9.00
55101400	STORM SEWER REMOVAL 30"	LF	8.00
550A0430	STORM SEWERS, CLASS A, TYPE 2 30"	LF	8.00

ADDENDUM NO. 1

FILE NAME	USER NAME =	DESIGNED - BH	REVISED - 1-31-2020 ADDENDUM 1	<b>STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION</b>	<b>2020 MFT REHABILITATION PROGRAM SUMMARY OF QUANTITIES</b>			F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
	PLOT SCALE =	CHECKED -	REVISED -						20-00113-00-RS	KANE	37	3	
	PLOT DATE =	DATE - 1/17/2020	REVISED -		SCALE:	SHEET NO.	OF SHEETS	STA.	TO STA.	CONTRACT NO.			
								FED. ROAD DIST. NO. 1	ILLINOIS	FED. AID PROJECT			