

**ADDENDUM No. 1**

**August 3, 2018**

**Subject:** 7<sup>th</sup> Avenue Creek Drainage Improvements at John Deutsch Culvert  
for Bid Opening on August 16, 2018

*To Prospective Bidders:*

***Please note the following:***

1. Section 2.03 of the Special Provision for Geopolymer Liner is amended to also accept the following mix design:
  - a. Geopolymer material composed of at minimum 70% Pozzolanic material selected from the list of: SiO<sub>2</sub>, MgO, Al<sub>2</sub>O<sub>3</sub>, Fe<sub>2</sub>O<sub>3</sub> and be verified by third party certified X-ray Fluorescence (XRF) or X-ray Diffraction (XRD) testing.
2. Section 1.03.A.3 and Table 2 in Section 2.04 of the Special Provision for Geopolymer Liner are amended to accept only the ASTM C78 flexural strength test.

***Contractors must utilize the enclosed material when preparing their bid. The signed copy of ADDENDUM No. 1 must be included with the submitted Proposal.***

*No Proposal shall be considered responsive nor shall any Proposal be considered unless the appropriate space for acknowledgement of the addendum is completed in the original bid package and unless the Proposal is accompanied by a signed copy of this ADDENDUM No. 1. The signed copy of ADDENDUM No. 1 shall be attached to the Proposal.*

*The undersigned agrees to be bound by the modifications made within this ADDENDUM No. 1, and hereby waives any and all claims based upon the additional or modified information contained herein.*

**Acknowledgement of ADDENDUM No. 1**

**Company Name:** \_\_\_\_\_

**Signature of Company Representative:** \_\_\_\_\_