

## CONTROL JOINT NOTE:

PROVIDE MASONRY CONTROL JOINTS AS RECOMMENDED BY MASONRY CONTRACTOR AND BLOCK SUPPLIER. CONTROL JOINTS NOT TO EXCEED 30'-0" MAX AND 20'-0" MIN.

ALL CONTROL JOINT LAYOUTS TO BE REVIEWED BY ARCHITECT/ ENGINEER AT TIME OF CONSTRUCTION/ SHOP DRAWING SUBMITTAL.

ALL ELEVATIONS AND LAYOUT ARE BASE ON STANDARD MODULAR BLOCK SIZES. CONTRACTOR RESPONSIBLE FOR ANY ADJUSTMENTS IN SIZES REQUIRED IF THEY CHANGE MATERIAL SIZES.

CURTAINWALL/ STOREFRONT NOTE: PROVIDE PREFINISHED ALUMINUM SLIP HEAD TO MATCH ALUMINUM STOREFRONT/ CURTAIN WALL SYSTEM.

PROVIDE PREFINISHED EXTRUDED ALUMINUM-THERMALLY BROKEN SILL FLASHING WITH END DAMS. INSTALL WITH A POSITIVE SLOPE AWAY FROM INTERIOR AND SET IN SEALANT PER MANUFACTURER'S WRITTEN SPECIFICATIONS.

PROVIDE ALL SHIMS, SEALANT & BACKER ROD PER MANUFACTURER'S SPECIFICATIONS.


SHEATHING FASTENER NOTE: FASTEN ALL WOOD-BASED PANELS TO COLD-FORM FRAMING W/ SELF-TAPPING CORROSION RESISTANT SCREWS. PNEUMATICALLY DRIVEN PINS FOR WOOD-BASED PANEL ATTACHMENT WILL NOT BE ACCEPTED.


NOTE:


MASONRY PRICE TO INCLUDE DRY-BLOCK W/ INTEGRAL WATER REPELLENT - RHEOPEL XP.


KEY NOTE	MATERIAL SUMMARY	KEY NOTE	MATERIAL SUMMARY	KEY NOTE	MATERIAL SUMMARY	KEY NOTE	MATERIAL SUMMARY	KEY NOTE	MATERIAL SUMMARY
	METAL PANEL (A.C.M.):		ALUMINUM ENTRANCE W/ INSUL. GLAZING:	D-7	OVERHEAD DOOR INSUL- PREFINISHED:	BES-1	BUILDING EXTERIOR SIGNAGE: (BY OWNER)	BES-5	BUILDING EXTERIOR SIGNAGE (BY CONTRACTOR):
ACM-1	MANUFACTURER: ALPOLIC	D-1	MANUFACTURER: KAMNEER 350 OR EQUAL		MANUFACTURER: OVERHEAD DOOR COMPANY OR EQUAL		MANUFACTURER: PATTISON SIGN GROUP		MANUFACTURER: SIGNAL TECHNOLOGIES
	MATERIAL: COMPLETE RAIN SCREEN ACM SYSTEM		<u>STYLE:</u> REFER TO DOOR SCHEDULE & ELEVATIONS (MED. STILE)		STYLE: REFER TO DOOR SCHEDULE & ELEVATIONS		STYLE/TYPE: KIA SYMBOL/LETTERS		<u>STYLE/SIZE:</u> 10"X10" DIRECTIONAL LED LANE LIGHTS - X/DOWN
	<u>COLOR:</u> TOB BLACK		<u>GLAZING:</u> 1" INSULATED, TEMPERED, PPG, SOLARBAN 60, CLEAR		COLOR: WHITE		POWER REQUIREMENTS: POWER IS REQUIRED, REFER TO ELECTRICAL		
	LOCATION: KIA FACADE, REFER TO EXTERIOR ELEVATIONS		COLOR: CLEAR ANODIZED		LOCATION: EXTERIOR, REFER TO PLANS & ELEVATIONS		DRAWINGS. COORDINATE W/ OWNER AND SIGNAGE VENDOR.		<u>POWER REQUIREMENTS:</u> POWER IS REQUIRED, REFER TO ELECTRICA DRAWINGS
			LOCATION: EXTERIOR, REFER TO PLANS & ELEVATIONS				NOTE: CONTRACTOR TO PROVIDE REQUIRED BLOCKING (BLOCKING TO BE PAINTED, WHERE EXPOSED, TO MATCH WALL PANEL COLOR)		NOTE: CONTRACTOR TO PROVIDE REQUIRED BLOCKING.
	METAL PANEL (A.C.M.):			CM-1	ALUMINUM CURTAINMALL SYSTEM:		INSTALL ACCESS PANELS AT LOCATIONS WHERE NEEDED, REFER TO PLANS.		DEALER NOTE: THESE SIGNS ARE TO BE PROVIDED AND INSTALLED
ACM-2	MANUFACTURER: ALPOLIC	D-2	HOLLOW METAL DOOR INSUL (W/ GLAZING AS NOTED/SHOWN):		MFR: KAWNEER		DEALER NOTE: EXTERIOR SIGNAGE IS PURCHASED BY DEALER #		BY CONTRACTOR. CONTRACTOR TO PROVIDE REQUIRED POWER AND BLOCKING
	MATERIAL: COMPLETE RAIN SCREEN ACM SYSTEM		STYLE: HOLLOW METAL, PAINTED, REFER TO DOOR SCHEDULE &		<u>STYLE:</u> 1600-2, STRUCTURAL SILICONE GLAZING AT VERTICAL MULLIONS, EXPRESSED CLEAR ANODIZED FRAME AT HORIZONTAL		INSTALLED BY SIGN MFR. VENDOR.		
	<u>COLOR:</u> BSX SILVER METALLIC		ELEVATIONS		MULLIONS	BES-2	BUILDING EXTERIOR SIGNAGE: (BY OWNER)	CP-1	MTL. WALL COPING (PRE-FINISHED):
	LOCATION: KIA FACADE, REFER TO EXTERIOR ELEVATIONS		LOCATION: EXTERIOR, REFER TO PLANS & ELEVATIONS		<u>GLAZING:</u> 1" INSULATED, PPG, SOLARBAN 60, CLEAR		MANUFACTURER: PATTISON SIGN GROUP		MFR: UNI-CLAD, PAC-CLAD OR EQUAL
					FINISH/COLOR: CLEAR ANODIZED, CLASS I		STYLE/TYPE: 'DEALER NAME' SIGNAGE		STYLE: PRE-FINISHED MTL. COPING SYSTEM
EIFS-1	EIFS (EXTERIOR INSULATION FINISH SYSTEM):	D-3	OVERHEAD DOOR INSUL- ALUM. W/ GLAZING (REGULAR SPEED):		LOCATION: EXTERIOR WALLS, REFER TO PLANS & ELEVATIONS		POWER REQUIREMENTS: POWER IS REQUIRED, REFER TO ELECTRICAL DRAWINGS. COORDINATE W/ OWNER AND SIGNAGE VENDOR.		FINISH/COLOR: FINISH & COLOR TO MATCH ADJACENT WALL COLOR
	MANUFACTURER: DRYVIT SYSTEMS, INC.		MANUFACTURER: T.B.D.				NOTE: CONTRACTOR TO PROVIDE REQUIRED BLOCKING (BLOCKING		LOCATION: EXTERIOR WALLS, REFER TO PLANS & ELEVATIONS
	<u>COLOR:</u> TO MATCH BM COVENTRY GRAY		<u>STYLE:</u> ALUMINUM W/ INSUL. GLAZING	SF-1	ALUMINUM STOREFRONT SYSTEM:		TO BE PAINTED, WHERE EXPOSED, TO MATCH WALL PANEL COLOR) INSTALL ACCESS PANELS AT LOCATIONS WHERE NEEDED, REFER TO	CP-2	A.C.M. COPING SYSTEM (WALL COPING)
	SYSTEM/TYPE: OUTSULATION PLUS MD, EIFS W/ MOISTURE DRAINAGE		<u>GLAZING:</u> INSULATED, TEMPERED, PPG, SOLARBAN 60, CLEAR		MFR: KAWNEER TRIFAB 451T (BASIS OF DESIGN)		PLANS.	CP-2	MFR: REYNOBOND
	(DRYVIT 'DEMANDIT ADVANTAGE' ARCHITECTURAL COATING KIAM 03 1413 S APPLIED OVER DRYVIT 'FINESSE' SPECIALTY FINISH TEXTURE KIAM		FINISH/COLOR: CLEAR ANODIZED		<u>STYLE:</u> 2"X4" STOREFRONT FRAMING		DEALER NOTE: EXTERIOR SIGNAGE IS PURCHASED BY DEALER & INSTALLED BY SIGN MFR. VENDOR.		<u>COLOR:</u> COLOR TO MATCH ADJACENT WALL COLOR
	03 1036 S INCORPORATING DRYVIT 'STRATOTONE' HIGH PERFORMANCE COLORANT (S))		LOCATION: EXTERIOR, REFER TO PLANS & ELEVATIONS		<u>GLAZING:</u> 1" INSULATED, PPG, SOLARBAN 60, CLEAR				<u>SYSTEM/ TYPE:</u> DRY JOINT SYSTEM (RAIN-SCREEN)
	LOCATION: EXTERIOR, REFER TO PLANS & ELEVATIONS				FINISH/COLOR: CLEAR ANODIZED, CLASS I	BES-3	BUILDING EXTERIOR SIGNAGE: (BY OWNER)		LOCATION: EXTERIOR WALLS - COPING WHERE ACM IS LOCATED -
		D-4	OVERHEAD DOOR INSUL- ALUM. W/ GLAZING (HIGH SPEED):		LOGATION: EXTERIOR MALLS, REFER TO PLANS & ELEVATIONS		MANUFACTURER: PATTISON SIGN GROUP		REFER TO PLANS AND ELEVATIONS
CONC-1	CONCRETE:		MANUFACTURER: T.B.D.	MTL-1	STANDING SEAM METAL ROOF:	~	STYLE/TYPE: 'SERVICE' SIGNAGE		
	<u>COLOR:</u> PAINT (COLOR TBD)		<u>STYLE:</u> ALUMINUM W/ INSUL. GLAZING		MFR: FIRESTONE		POWER REQUIREMENTS: POWER IS REQUIRED, REFER TO ELECTRICAL DRAWINGS. COORDINATE W/ OWNER AND SIGNAGE VENDOR.	DS-1	DOWNSPOUT
	NOTE: HAND-RUB SMOOTH FINISH		<u>GLAZING:</u> INSULATED, TEMPERED, PPG, SOLARBAN 60, CLEAR		STYLE: ELEVATE, STANDING SEAM		NOTE: CONTRACTOR TO PROVIDE REQUIRED BLOCKING (BLOCKING		TYPE: PRE-FINISHED METAL, CONNECT TO STORM SYSTEM
	LOCATION: EXTERIOR WALLS, REFER TO PLANS & ELEVATIONS		FINISH/COLOR: CLEAR ANODIZED		FINISH/COLOR: BLACK		TO BE PAINTED, WHERE EXPOSED, TO MATCH WALL PANEL COLOR) INSTALL ACCESS PANELS AT LOCATIONS WHERE NEEDED, REFER TO		<u>COLOR:</u> TBD
			LOCATION: EXTERIOR, REFER TO PLANS & ELEVATIONS		LOCATION: SERVICE ROOF, REFER TO PLANS & ELEVATIONS		PLANS.		LOCATION: EXTERIOR - REFER TO ELEVATIONS
CMU-1	BURNISHED CMU:						DEALER NOTE: EXTERIOR SIGNAGE IS PURCHASED BY DEALER & INSTALLED BY SIGN MFR. VENDOR.		
	SUPPLIER: COUNTY MATERIALS	D-5	OVERHEAD DOOR INSUL- ALUM. W/ GLAZING (HIGH SPEED):	<b>PB-1</b>	PIPE BOLLARD (W/ PV.C. COVER):			GT-1	GUTTER
	<u>COLOR:</u> ECHO (63-251B), WITH TK BRIGHT KURE & SEAL SEALANT		MANUFACTURER: T.B.D.		BOLLARD: STL. CONC. FILLED, REFER TO PLANS, NOTES, & DETAILS.				TYPE: PRE-FINISHED METAL
	MORTAR: GREY		STYLE: ALUMINUM W/ (2) ROWS INSUL. GLAZING		<u>PVC COVER MFR:</u> T.B.D.	BES-4	BUILDING EXTERIOR SIGNAGE: (BY OWNER)		<u>COLOR:</u> TBD
	LOCATION: EXTERIOR WALLS, REFER TO PLANS & ELEVATIONS		<u>GLAZING:</u> INSULATED, TEMPERED, PPG, SOLARBAN 60, CLEAR		<u>COLOR:</u> TBD		MANUFACTURER: PATTISON SIGN GROUP		LOCATION: EXTERIOR - REFER TO ELEVATIONS
			FINISH/COLOR: CLEAR ANODIZED		OVERFLOW DRAIN		STYLE/TYPE: 'DELIVERY' SIGNAGE		
PC-1	PRECAST SILL:		LOCATION: EXTERIOR, REFER TO PLANS & ELEVATIONS	0D-1	<u>STYLE:</u> BRASS LAMBS TONGUE W/ BIRD SCREEN		POWER REQUIREMENTS: POWER IS REQUIRED, REFER TO ELECTRICAL _ DRAWINGS. COORDINATE W/ OWNER AND SIGNAGE VENDOR.		
	SUPPLIER: LOCAL SUPPLIER		OVERHEAD DOOR POLYCARBONATE PANELS W/ ALUM. FRAME:				NOTE: CONTRACTOR TO PROVIDE REQUIRED BLOCKING (BLOCKING	BM-1	BRK. MTL. FASCIA/ SOFFIT
	COLOR: TBD	D-6	MANUFACTURER: OVERHEAD DOOR COMPANY OR EQUAL				TO BE PAINTED, WHERE EXPOSED, TO MATCH WALL PANEL COLOR) INSTALL ACCESS PANELS AT LOCATIONS WHERE NEEDED, REFER TO		MATERIAL: HEAVY GAUGE ALUMINUM
	MORTAR: TBD		STYLE: REFER TO DOOR SCHEDULE & ELEVATIONS	MP-1	MALL PACK LIGHT FIXTURE		PLANS.		FINISH/COLOR: FINISH & COLOR TO MATCH ADJACENT WALL COLOR
	LOCATION: EXTERIOR WALLS, REFER TO PLANS & ELEVATIONS				REFER TO REFLECTED CEILING PLAN.		DEALER NOTE: EXTERIOR SIGNAGE IS PURCHASED BY DEALER &		LOCATION: EXTERIOR PITCHED ROOF, REFER TO PLANS &


## 1 EXTERIOR 3D VIEW- NORTHWEST CORNER




















FIRST FLOOR 100' - 0"

