

AGENDA
CITY OF ST. CHARLES
LIQUOR CONTROL COMMISSION MEETING
MONDAY, AUGUST 16, 2021, 4:30 PM
2 E MAIN STREET

https://us06web.zoom.us/webinar/register/WN_RMTLWwwjQ9iH18L90bGX2Q

1. Call to Order.
2. Roll Call.
3. Motion to accept and place on file minutes of the Special Liquor Control Commission meeting held on July 27, 2021.
4. Recommendation to approve a Proposal for a Class D-10 Liquor License for Moonlight Theatre, Located at 7 S. Second Avenue, St. Charles.
5. Recommendation to approve a Proposal for a New Class E-2 Special Event Liquor License for Pollyanna Brewing Company for their Oktoberfest Event being held on October 10, 2021 from noon – 7:00 pm at 106 S Riverside Avenue in the South Parking Lot.
6. Recommendation to approve a Proposal for a New Class E-1 Temporary Liquor License for St. Patrick Catholic Church for their Beer Festival being held on September 18, 2021, 6:00 pm – 8:00 pm, in the parking lot at the 400 Block of State Street.
7. Recommendation to approve a Proposal for a New Class B-1 Liquor License and 1:00 am Late Night Permit for 222 Hospitality LLC, dba Whiskey Bend, Located at 222 W. Main Street, St Charles.
8. Recommendation to approve a Proposal for a New Class B-1 Liquor License and 1:00 am Late Night Permit for H&C Hospitality LLC dba The Office Dining & Spirits, Located at 201 E Main Street, St. Charles.
9. Public Comment.
10. Executive Session (5 ILCS 120/2 (c)(4)).
11. Adjournment.

ADA Compliance

Any individual with a disability requesting a reasonable accommodation in order to participate in a public meeting should contact the ADA Coordinator, Jennifer McMahon, at least 48 hours in advance of the scheduled meeting. The ADA Coordinator can be reached in person at 2 East Main Street, St. Charles, IL, via telephone at (630) 377 4446 or 800 526 0844 (TDD), or via e-mail at jmcmahon@stcharlesil.gov. Every effort will be made to allow for meeting participation. Notices of this meeting were posted consistent with the requirements of 5 ILCS 120/1 et seq. (Open Meetings Act).