	AGEND	A ITEM EXECUTIVE SUMMAR	nda Item number: 3.a				
	Title:	Electric Reliability Report – Information Only					
ST. CHARLES	Presenter:	r: Tom Bruhl					
Meeting: Government Services Committee Date: August 27, 2018							
Proposed Cost: \$ Budgeted Amount: \$ Not Budgeted:							
Executive Summary (if not budgeted please explain):							
For Information On	For Information Only.						
Attachmonts (plag	sa list).						
Attachments (please list):* July 2018 Outage Report* July 2018 Streetlight Repair Report							
Recommendation/Suggested Action (briefly explain):							
For information only.							

City of St. Charles July 2018 Outages

OUTAGE No.	DATE	TIME OFF	TIME ON (Min)	AREA AFFECTED	CIRCUIT No.	CAUSE/RESPONSE	NO. OF CUST.	OUTAGE MINUTES	MAJOR CATEGORY	SUB CATEGORY
1	7/1/2018	4:28 PM	0	North HS, The Reserve, Red Gate, Q Center, City Hall, south side of both sides of the river.	7962	Lightning hit pole on Rt. 25	2720	0	ComEd	7962
2	7/6/2018	5:44 PM	76	Costco, Kane County Fairgrounds, Citgo	611	Mainline cable fault at 2402 W. Main St. Isolated bad cable and performed partial restoration span by span.	5	380	Equipment	Cable
2	7/6/2018	5:44 PM	85	110 N. Randall Rd., 2008 & 2010 W. Main St., 205, 210, & 220 N. Randall Rd., 1712 W. Main St.	611	Mainline cable fault at 2402 W. Main St. Isolated bad cable and performed partial restoration span by span.	7	595	Equipment	Cable
2	7/6/2018	5:44 PM	133	W. Main St., Bickford Cottage, Culver's, Firestone, Fox River Harley, and Regency Estates	611	Mainline cable fault at 2402 W. Main St. Isolated bad cable, restored customers past the fault from 216 - well, fire station, Bike Rack, Aldi, lift station, post office, W. Main St., Campton.	125	16,625	Equipment	Cable
3	7/24/2018	8:00 AM	55	114 S. 6th St.	333	Shut off power to make repairs after damage from fallen tree branch. Put lines back up, fixed connection, and restored power.	1	55	Tree	Small Branch
						Tabel of late mande of Mire		17.000		
						Total of Interrupted Minutes Total SAIDI*	1.126	17,655		
						Total of ComEd Interrupted Minutes	1.120			
				<u> </u>		Total SAIDI without ComEd	1.126			
			1							
						*System Average Interruption Duration Index (SAIDI)				

Streetlight Repair Report

Expectation: Streetlights will be repaired within 10 days of notification

Fiscal Year	Number of Lights Repaired	Average Days to Repair			
2018	801	5.3			
2019					
Month Light Was Repaired	Number of Lights Repaired	Average Days to Repair			
May	66	4.4			
June	27	3.0			
July	38	3.3			
August					
September					
October					
November					
December					
January					
February					
March					
April					

Streetlight Repair Statistics

July Notes:

No outages exceeded 10 days