	AGENDA ITEM EXECUTIVE SUMMARY		Agenda Item number: 5.f	
ST. CHARLES	Title:	Recommendation to Approve the Purchase, Installation and Configuration of a Forensic Recovery of Evidence Data Center at the New Police Facility		
SINCE 1834	Presenters:	Chief Keegan and Steve Weishaar		
Meeting: Government Services Committee Date: April 22, 2019				

Budgeted Amount: \$40,000

 \square

Not Budgeted:

Executive Summary (*if not budgeted please explain*):

The Police Department has an ever increasing need for a large, powerful, stand-alone server in order to safely maintain sensitive digital evidence. The evidence is required to be secure and not part of any network where it could susceptible to corruption or bring question to chain of custody. Police Department and Information Services staffs have worked to find a solution: the FREDC Forensic Workstation from Digital Intelligence, Inc. in New Berlin Wisconsin.

Staff is proposing that this workstation and server be installed in the digital forensics lab located in the secure evidence area of the new police facility.

Attachments (please list):

Proposed Cost: \$73,500

* Digital Intelligence, Inc. Quote #20190318B

Recommendation/Suggested Action (briefly explain):

Recommendation to approve the purchase, installation, and configuration of the FRED Forensic Workstation from Digital Intelligence, Inc. in the amount of \$73,500.



Digital Intelligence, Inc. 17165 West Glendale Drive New Berlin, WI 53151

Voice: (262) 782-3332 Fax: (262) 782-3331 Email: sales@digitalintelligence.com

Request for Quote

Date	Quote #		
4/17/2019	20190318B		

Fed Tax ID # 39-1957034

Customer			
Steve Weishaar			
City of St. Charles			
Tel: 630-377-4400			
Email: sweishaar@stcharlesil.gov			
Ticket #1809112991			

Item	Description	Quantity	Unit Cost	Total
K6000	Forensic Recovery of Evidence Data Center (FREDC) consisting of:	1	69,800.00	69,800.00
F6230	Forensic File Server (4U)	1		
S1601	Operating System Software - SUSE Linux Enterprise Server Operating System	1		
S1615	Xming X Server Software for FREDC	1		
S1616	Eltima USB Network Gate Software for FREDC	1		
S1620	Yosemite Back Up Software – includes 1 Year Maintenance and Support – 1 Server <mark>S1621 for International Customers</mark>	1		
т5532	Master Unit - 160.0 Terabyte RAID Array Module (140 Terabyte RAID-6) (3U)	1		
T6018	LTO-8 Ultrium Robotic Tape Library (2U)	1		
T6011	LTO-7 Media Set Qty 15 x Data Media (6 TB/15 TB capacity) Qty 1 x Cleaning Media	1		
т6233в	10 Gigabit (Copper) Network Switch	1		
т6236	24 Port Rackmount Cat 6A Patch Panel (1U)	2		
C6001	Cat 5e 10ft Patch Cable Set - 5 cables	1		
C6002	Cat 6A 1ft Patch Cable Set - 25 cables	2		
C6003	Cat 6A 10ft Patch Cable Set - 5 cables	1		
X9070	Rackmount 19 inch LCD Display with integrated Keyboard/Track Pad (1U)	1		
X9071	8 port KVM Switch KVM with IP Remote Access	1		
C6004	KVM Cable Set - Qty 2 x USB, Qty 1 x P/S2 Cables	1		
т6214	12 Outlet 15A 120V Rackmount Power Strip	1		



Request for Quote

Digital Intelligence, Inc. 17165 West Glendale Drive New Berlin, WI 53151

 Voice:
 (262) 782-3332

 Fax:
 (262) 782-3331

 Email:
 sales@digitalintelligence.com

 Date
 Quote #

 4/17/2019
 20190318B

Fed Tax ID # 39-1957034

X9072	2U Rackmount Shelf	1		
T6213	3000 VA Rackmount Uninterruptable Power Supply (UPS) (2U)	1		
T6212	42U Rackmount Enclosure w/doors and Ventilation Fans - 23.5"(w) x 36"(d) x 84"(h)	1		
F1130 RM	Forensic Recovery of Evidence Device - RackMount (FRED-RM) (4U)	1		
B1100	Free Training (Limited Time Offer): One Seat per System in the 1-day FRED orientation and training course "Digital Forensics with FRED" Please note: Training held at Digital Intelligence headquarters New Berlin, WI.	1		
	<pre>Warranty 1 year hardware warranty, lifetime technical support (telephone, email, online support ticket system)</pre>	1	INC	INC
	Onsite Installation, Configuration, and Equipment Orientation (Continental US)	1	INC	INC
	SITE REQUIREMENTS Standard 120 Volt Electrical Requirements: FREDC requires a 30 Amp, 120 Volt circuit with a NEMA			
	L5-30R receptacle. Optional (by request) 230 Volt Electrical Requirements for International Customers: 16 Amp, 230 Volt circuit with receptacle for one of the following plug types - (IEC-320 C20, Schuko CEE 7 / EU1-16P, British BS1363A)			
	<u>Cooling Load:</u> UPS is capable of providing 2700 watts of power at maximum output resulting in a maximum heat output of about 9215 BTU/HR for cooling load. Standard build does not saturate UPS.			
	Network Cabling: DIRECT Cat5e(for 1G network) or Cat6A (for 10G network) cabling should extend from FREDC location to work stations included in the forensic network. Cabling at FREDC location should be terminated with standard RJ45 plugs and 10 feet of excess length.			
	EggMail Notification System (US Only): Sends text message system notifications. Requires adequate cellular coverage at FREDC location.			



Digital Intelligence, Inc. 17165 West Glendale Drive New Berlin, WI 53151

Voice: (262) 782-3332 Fax: (262) 782-3331 Email: sales@digitalintelligence.com

Request for Quote

Date	Quote #		
4/17/2019	20190318B		

Fed Tax ID # 39-1957034

	Only available in United States.			
	Freight and Delivery charges (CONUS) Note: All freight deliveries are dock or curb-side only	1	700.00	700.00
T6203	(OPTIONAL) Follow-Up Support Visit: 1 Day on- site support visit providing additional procedural review, training, and general assistance as requested by customer. Customer to schedule within 6 months of installation and to take place within 1 year of installation. (CONUS)	1	3,000.00	3,000.00
	Available Extended Maintenance Contracts - Please contact Digital Intelligence Sales Additional FREDC Options available - Please contact Digital Intelligence Sales for more information on Database Server, and Virtual Machine Servers.			
All prices are in U.S. Dollars This quote is valid for 30 days from date of issue. To order please FAX P.O. to (262) 782-3331 or email to sales@digitalintelligence.com Thank you for your interest		Subtota Tax	ıl \$	73,500.00 0.00
		Total	\$	73,500.00

Prepared by: Bev Rev.03012019

REQUEST FOR WAIVING BID PROCEDURE

We request the City Council to waive the bid procedure and accept the quotation (requiring two-thirds City Council vote) submitted by:

Digital Intelligence, Inc. 17165 W. Glendale Dr. New Berlin, WI 53151

For the purchase of: Installation and configuration of FRED-C Forensic Data Center

At a cost not to exceed: \$73,500

Reason for the request to waive the bid procedure: US sales distribution channel for Digital Intelligence systems is direct from vendor as well as there being no direct comparison in the market.

Other Quotations Received: None

Date: 4/22/19	
Requested by: _E.Mahar	kyst chamment
Department Director:	In leg
Purchasing Manager:	0
Committee Chairman:	

THIS REQUEST FORM MUST BE SIGNED BY ALL PARTIES PRIOR TO REQUESTING COMMITTEE APPROVAL FOR WAIVING OF THE BID PROCEDURE. REQUESTS FORWARDED DIRECTLY TO THE CITY COUNCIL (AND BYPASSING COMMITTEE) MUST BE SIGNED BY ALL PARTIES PRIOR TO REQUESTING CITY COUNCIL APPROVAL. SUCH REQUESTS ARE TO BE OF AN EMERGENCY NATURE WHERE TIME IS OF THE ESSENCE.