



AGENDA ITEM EXECUTIVE SUMMARY

Agenda Item number: 6d

| | |
|------------|---|
| Title: | Recommendation to Approve a Resolution Authorizing the Mayor and the City Clerk of the City of St. Charles to Approve the Award of a 2017 Ford E350 Cutaway Van Chassis, with Knapheide KUV Body to Zimmerman Ford and Sell Replaced 2003 Ford E-350 SD Van Vehicle #1802 |
| Presenter: | Julie Herr, Assistant Finance Director |

Meeting: Government Operations Committee

Date: November 7, 2016

Proposed Cost: \$36,010

Budgeted Amount: \$35,000

Not Budgeted:

Executive Summary *(if not budgeted please explain):*

We are seeking approval to purchase a new 2017 Ford E350 Cutaway Van Chassis, with Knapheide KUV Body, for use by Public Works' Water Meter staff, from Zimmerman Ford (Local vendor). When purchasing vehicles, at a minimum we obtain pricing from the Suburban Purchasing Cooperative (SPC), a competitively bid joint purchasing program, as well as a local vendor. In this situation, the type of van needed to accommodate the Knapheide KUV Body was not on the SPC's bid list. However we did request a quote from Currie Motors, the winning bidder for most of the vehicles in SPC's program. We compared that quote to a quote from Zimmerman Ford, a local vendor. The quotes are noted below:

| | |
|-------------------------------|----------|
| Currie Motors Frankfort, Inc. | \$35,643 |
| Zimmerman Ford Local vendor | 36,010 |

The Zimmerman quote includes a limited slip rear axle (\$249) and rubber floor mats (\$90) that are not included in the Currie Quote.

Based on the above, we would like to request a waiving of the bid procedure as well the awarding of the vehicle purchase to Zimmerman Ford in the amount of \$36,010. This vehicle was budgeted and approved in the F.Y. '16/17 budget year and approved by the City Fleet Committee. We are also seeking approval to sell the replaced 2003 Ford E-350 SD Van Vehicle #1802 via the online auction site.

Attachments *(please list):*

Request for Waiving Bid Procedure, Quote, and Resolution

Recommendation/Suggested Action *(briefly explain):*

Recommendation to approve a Resolution Waiving the Bid Procedure and Authorizing the Mayor and the City Clerk of the City of St. Charles to Approve the Award of a 2017 Ford E350 Cutaway Van Chassis, with Knapheide KUV Body to Zimmerman Ford and Sell Replaced 2003 Ford E-350 SD Van Vehicle #1802.

REQUEST FOR WAIVING BID PROCEDURE

We request the City Council to waive the bid procedure and accept the quotation (requiring two-thirds City Council vote) submitted by:

Zimmerman Ford _____

For the purchase of: 2017 Ford E350 Cutaway Van Chassis, with Knapheide KUV Body _____.

At a cost not to exceed: \$ 36,010 _____.

Reason for the request to waive the bid procedure: We will be purchasing this vehicle through the Local vendor; we have solicited a quote from Zimmerman Ford. The Zimmerman quote includes a limited slip rear axle (\$249) and rubber floor mats (\$90) that are not included in the Currie Quote. _____

Other Quotations Received: Currie Motors Frankfort, Inc.

Date: 10/24/16 _____

Requested by: _____

Department Director: _____

Purchasing Manager: Mike Shortall _____

THIS REQUEST FORM MUST BE SIGNED BY ALL PARTIES PRIOR TO REQUESTING COMMITTEE APPROVAL FOR WAIVING OF THE BID PROCEDURE. REQUESTS FORWARDED DIRECTLY TO THE CITY COUNCIL (AND BYPASSING COMMITTEE) MUST BE SIGNED BY ALL PARTIES PRIOR TO REQUESTING CITY COUNCIL APPROVAL. SUCH REQUESTS ARE TO BE OF AN EMERGENCY NATURE WHERE TIME IS OF THE ESSENCE.



1802

WA 7002

\$ 36,010

2525 East Main Street • St. Charles, IL 60174 • Phone: 630-584-1800 • Fax: 630-584-9886

Mike Shortall
Purchasing Director
City of St Charles

Standard equipment included on 2017 Ford E350 Cutaway chassis

| | |
|---|--------------------------------|
| 6.8L V10 | Vinyl floor covering |
| 6 speed automatic trans | vinyl bucket seats |
| 120 Amp alternator | Tilt steering column |
| 4 Wheel disc brakes with ABS | Interval wipers |
| 40 Gallon fuel tank | Dual front air bags |
| Black painted front bumper & grill | 16" wheels painted gray |
| Air conditioning | LT245/75Rx16E all season tires |
| Color: Oxford white | |
| 3 year or 36,000 mile bumper to bumper warranty | |
| 5 year or 60,000 mile powertrain warranty | |

Optional equipment included

Frame pucks (isolators)

KNAPHEIDE KUV 129SUK Ultra low 11ft service body Standard equipment

| | |
|-------------------------------------|---|
| Lockable sliding door in bulkhead | Master locking system |
| Standard shelving package | Grab handle at right rear |
| Stainless steel rotary door handles | Rear window guards |
| 2 dome lights | LED flush mounted rear taillights |
| 2 rear access doors | Galva grip rear step bumper |
| Service body & bumper painted white | Cargo area & inside of compartments painted white |

TOTAL PRICE FOR UNIT

\$32,668

OPTIONS

| | |
|---|--------|
| <input type="checkbox"/> Delivery | INC |
| <input checked="" type="checkbox"/> Municipal license & title | \$128 |
| <input checked="" type="checkbox"/> Chrome front bumper & grill | \$96 |
| <input checked="" type="checkbox"/> Power windows & locks | \$428 |
| <input checked="" type="checkbox"/> Power trailer tow mirrors | \$215 |
| <input checked="" type="checkbox"/> Daytime running lights | \$45 |
| <input checked="" type="checkbox"/> Sync (Bluetooth) system includes AM/FM CD | \$710 |
| <input checked="" type="checkbox"/> 4.10 limited slip rear axle | \$249 |
| <input checked="" type="checkbox"/> HD alternator | \$73 |
| <input checked="" type="checkbox"/> 4 auxiliary upfitter switches | \$79 |
| <input checked="" type="checkbox"/> Cruise control | \$215 |
| <input checked="" type="checkbox"/> Backup alarm | \$105 |
| <input checked="" type="checkbox"/> Class V receiver hitch & 7 way trailer plug | \$590 |
| <input checked="" type="checkbox"/> 16" sport wheel covers | \$109 |
| <input checked="" type="checkbox"/> Remote keyless entry | \$210 |
| <input checked="" type="checkbox"/> Rubber floor mats | \$90 |
| <input type="checkbox"/> 6 year or 100,000 mile Powertrain warranty | \$1695 |

NOTE: Extended warranties include \$100 deductible after 3yr/36,000 mile warranty

NOTE : Order to delivery time is 12-16 weeks

Please call me with any questions

Bill Wackerlin
Commercial sales

VEU 1802

WA 7002



Currie Motors Frankfort Inc
9423 W Lincoln Hwy, Frankfort, Illinois, 604231388
Office: 708-479-1100

\$ 35,643

Customer Proposal

Prepared for:

Mr. Mike Shortall
Purchasing Director, City of St. Charles
2 E. Main St.
St. Charles, IL 60174
Office: 630-377-4471
Fax: 630-377-4431
Email: mshortall@stcharlesil.gov

Prepared by:

Jim Koziel
Office: 815-464-9200ext175
Email: jkoz1954@gmail.com

Ship to:

Mike Shortall
City of St. Charles
2 E. Main St.,
St. Charles, IL, 60174

Date: 08/24/2016

Vehicle: 2017 E-350 Cutaway Base
SD Chassis 138" WB SRW





Standard Equipment & Specs

Dimensions

- * Exterior length: 241.1"
- * Exterior height: 80.4"
- * Front track: 69.4"
- * Turning radius: 24.3'
- * Front headroom: 42.0"
- * Front shoulder room: 68.1"
- * Exterior width: 79.4"
- * Wheelbase: 138.0"
- * Rear track: 72.1"
- * Front legroom: 42.1"
- * Front hiproom: 65.6"

Powertrain

- * Triton 305hp 6.8L SOHC 20 valve V-10 engine with SMPI
- * federal
- * Rear-wheel drive
- * Fuel Economy Highway: N/A
- * Recommended fuel : regular unleaded
- * TorqShift 6 speed automatic transmission with overdrive
- * Fuel Economy Cty: N/A

Suspension/Handling

- * Front Twin I-Beam independent suspension with anti-roll bar, HD shocks
- * Hydraulic power-assist re-circulating ball Steering
- * LT245/75SR16 EBSW AS front and rear tires
- * Rear rigid axle leaf spring suspension with HD shocks
- * Front and rear 16 x 7 grey steel wheels

Body Exterior

- * 2 doors
- * Black bumpers
- * Front and rear 16 x 7 wheels
- * Driver and passenger door mirrors
- * Clearcoat paint

Convenience

- * Manual air conditioning
- * Manual door locks
- * Front cupholders
- * Manual front windows
- * Manual tilt steering wheel
- * Driver and passenger door bins

Seats and Trim

- * Seating capacity of 2
- * 4-way driver seat adjustment
- * Driver and passenger armrests
- * Front bucket seats
- * 4-way passenger seat adjustment

Entertainment Features

- * AM/FM stereo radio
- * 2 speakers
- * Auxiliary audio input
- * Fixed antenna

Lighting, Visibility and Instrumentation

- * Halogen sealed beam headlights
- * Light tinted windows
- * Voltmeter
- * Low tire pressure warning
- * Variable intermittent front windshield wipers
- * Tachometer
- * Oil pressure gauge
- * Trip odometer

Safety and Security

- * 4-wheel ABS brakes
- * Dual front impact airbag supplemental restraint system
- * Fixed front head restraints
- * 4-wheel disc brakes
- * Manual door locks



Standard Equipment & Specs (cont'd)

Dimensions

General Weights

| | | | |
|--------------------------|-----------|---------------------------|------------|
| Curb | 4782 lbs. | GVWR | 10050 lbs. |
| Front GAWR | 4200 lbs. | Rear GAWR | 6084 lbs. |
| Payload | 5268 lbs. | Front curb weight | 2814 lbs. |
| Rear curb weight | 1968 lbs. | Front axle capacity | 5000 lbs. |
| Rear axle capacity | 6340 lbs. | Front spring rating | 4200 lbs. |
| Rear spring rating | 6084 lbs. | Front tire/wheel capacity | 4600 lbs. |
| Rear tire/wheel capacity | 6084 lbs. | | |

General Trailering

| | | | |
|-----------------|-----------|------|------------|
| Towing capacity | 2950 lbs. | GCWR | 13000 lbs. |
|-----------------|-----------|------|------------|

Fuel Tank type

| | |
|----------|---------|
| Capacity | 40 gal. |
|----------|---------|

Rear Frame

| | |
|---------------|------|
| Height loaded | 26 " |
|---------------|------|

Powertrain

Engine Type

| | | | |
|------------------|------------------|---------------------|----------------|
| Brand | Triton | Block material | Iron |
| Cylinders | V-10 | Head material | Aluminum |
| Ignition | Electronic | Injection | Sequential MPI |
| Liters | 6.8L | Orientation | Longitudinal |
| Recommended fuel | Regular unleaded | Valves per cylinder | 2 |
| Valvetrain | SOHC | | |

Engine Spec

| | | | |
|--------------|------------|-------------------|-------|
| Bore | 3.55" | Compression ratio | 9.0:1 |
| Displacement | 415 cu.in. | Stroke | 4.16" |

Engine Power

| | | | |
|-----------------------------|--------------------|--------|------------------------|
| Output | 305 HP @ 4,250 RPM | Torque | 420 ft.-lb @ 3,250 RPM |
| Torque at clutch engagement | 350 lb.-ft. | | |

Alternator

| | |
|------|-----|
| Amps | 120 |
|------|-----|

Battery

| | | | |
|-----------|----|--------------------|-----|
| Amp hours | 72 | Cold cranking amps | 650 |
| Type | HD | | |

Transmission

| | | | |
|--------------------|-----------|---------|-----|
| Electronic control | Yes | Lock-up | Yes |
| Overdrive | Yes | Speed | 6 |
| Type | Automatic | | |

Transmission Gear Ratios

| | | | |
|---------------------|-------|-----|-------|
| 1st | 3.974 | 2nd | 2.318 |
| 3rd | 1.516 | 4th | 1.149 |
| 5th | 0.858 | 6th | 0.674 |
| Reverse Gear ratios | 3.128 | | |

Transmission Torque Converter



Standard Equipment & Specs (cont'd)

| | | | |
|----------------------------|-------------------------|------------------------------|---------------------|
| Stall ratio | 1.90 | | |
| Transmission Extras | | | |
| Driver selectable mode | Yes | Oil cooler | Regular duty |
| Drive Type | | | |
| Type | Rear-wheel | | |
| Drive Axle | | | |
| Ratio | 4.56 | | |
| Exhaust | | | |
| Material | Stainless steel | System type | Single |
| Emissions | | | |
| CARB | Federal | EPA | Tier 2 Bin 8 |
| Fuel Economy | | | |
| Fuel type | Gasoline | | |
| Driveability | | | |
| Brakes | | | |
| ABS Type | 4-wheel 4-wheel disc | ABS channels Vented discs | 3 Front |
| Suspension Control | | | |
| Ride | Regular | | |
| Front Suspension | | | |
| Independence | Twin I-Beam independent | Anti-roll bar | Regular |
| Front Spring | | | |
| Type | Coil | Grade | Regular |
| Front Shocks | | | |
| Type | HD | | |
| Rear Suspension | | | |
| Independence | Rigid axle | Type | Leaf |
| Rear Spring | | | |
| Type | Leaf | Grade | Regular |
| Rear Shocks | | | |
| Type | HD | | |
| Steering | | | |
| Activation | Hydraulic power-assist | Type | Re-circulating ball |
| Steering Specs | | | |
| # of wheels | 2 | | |
| Exterior | | | |
| Front Wheels | | | |
| Diameter | 16" | Width | 7.00" |
| Rear Wheels | | | |
| Diameter | 16" | Width | 7.00" |



Standard Equipment & Specs (cont'd)

| | | | |
|------------------------------|------------------------|------------------------|-----------|
| <i>Front and Rear Wheels</i> | | | |
| Appearance | Grey | Material | Steel |
| <i>Front Tires</i> | | | |
| Aspect | 75 | Diameter | 16" |
| Sidewalls | BSW | Speed | S |
| Tread | AS | Type | LT |
| Width | 245mm | LT load rating | E |
| RPM | 677 | | |
| <i>Rear Tires</i> | | | |
| Aspect | 75 | Diameter | 16" |
| Sidewalls | BSW | Speed | S |
| Tread | AS | Type | LT |
| Width | 245mm | LT load rating | E |
| RPM | 677 | | |
| <i>Wheels</i> | | | |
| Front track | 69.4" | Rear track | 72.1" |
| Turning radius | 24.3' | Wheelbase | 138.0" |
| <i>Body Features</i> | | | |
| Body material | Fully galvanized steel | Side impact beams | Yes |
| <i>Body Doors</i> | | | |
| Door count | 2 | | |
| <i>Exterior Dimensions</i> | | | |
| Length | 241.1" | Body width | 79.4" |
| Body height | 80.4" | Cab to axle | 80.0" |
| Axle to end of frame | 68.5" | Frame section modulus | 5.7cu.in. |
| Frame yield strength (psi) | 36000.0 | Cab to end of frame | 148.5" |
| Front bumper to back of cab | 92.5" | | |
| Safety | | | |
| <i>Airbags</i> | | | |
| Driver front-impact | Yes | Passenger front-impact | Yes |
| <i>Seatbelt</i> | | | |
| Height adjustable | Front | Pre-tensioners | Front |
| Pre-tensioners (#) | 2 | | |
| Seating | | | |
| <i>Passenger Capacity</i> | | | |
| Capacity | 2 | | |
| <i>Front Seats</i> | | | |
| Split | Buckets | Type | Bucket |
| <i>Driver Seat</i> | | | |
| Fore/aft | Manual | Reclining | Manual |
| Way direction control | 4 | | |
| <i>Passenger seat</i> | | | |
| Fore/aft | Manual | Reclining | Manual |



Standard Equipment & Specs (cont'd)

| | | | |
|---------------------------------|------------------|--------------------|--------------|
| Way direction control | 4 | | |
| Front Head Restraint | | | |
| Type | Fixed | | |
| Front Armrest | | | |
| Driver | Yes | Passenger | Yes |
| Front Seat Trim | | | |
| Material | Vinyl | Back material | Vinyl |
| Convenience | | | |
| AC And Heat Type | | | |
| Air conditioning | Manual | | |
| Audio System | | | |
| Auxiliary audio input | Yes | Radio | AM/FM stereo |
| Radio grade | Regular | Seek-scan | Yes |
| Audio Speakers | | | |
| Speaker type | Regular | Speakers | 2 |
| Audio Antenna | | | |
| Type | Fixed | | |
| Convenience Features | | | |
| 12V DC power outlet | 3 | | |
| Door Lock Activation | | | |
| Type | Manual | | |
| Instrumentation Type | | | |
| Display | Analog | | |
| Instrumentation Gauges | | | |
| Tachometer | Yes | Oil pressure | Yes |
| Engine temperature | Yes | Voltmeter | Yes |
| Instrumentation Warnings | | | |
| Oil pressure | Yes | Engine temperature | Yes |
| Battery | Yes | Lights on | Yes |
| Key | Yes | Low fuel | Yes |
| Service interval | Yes | Low tire pressure | Yes |
| Instrumentation Displays | | | |
| Clock | In-radio display | | |
| Instrumentation Feature | | | |
| PRND in IP | Yes | Trip odometer | Yes |
| Steering Wheel Type | | | |
| Material | Urethane | Tilting | Manual |
| Front Side Windows | | | |
| Window 1st row activation | Manual | | |
| Window Features | | | |
| Tinted | Light | | |



Standard Equipment & Specs (cont'd)

| | | | | |
|------------------------------|-----------------------|--------------------------|--|--------------|
| <i>Front Windshield</i> | | | | |
| Wiper | Variable intermittent | Sun visor strip | | Yes |
| Interior | | | | |
| <i>Headliner</i> | | | | |
| Coverage | Front | Material | | Vinyl |
| <i>Floor Trim</i> | | | | |
| Coverage | Front | Covering | | Vinyl/rubber |
| <i>Trim Feature</i> | | | | |
| Gear shift knob | Urethane | | | |
| <i>Lighting</i> | | | | |
| Dome light type | Regular | Variable IP lighting | | Yes |
| <i>Other Console Storage</i> | | | | |
| Storage | Yes | Type | | Engine cover |
| <i>Storage</i> | | | | |
| Driver door bin | Yes | Front Beverage holder(s) | | Yes |
| Glove box | Yes | Passenger door bin | | Yes |
| <i>Legroom</i> | | | | |
| Front | 42.1" | | | |
| <i>Headroom</i> | | | | |
| Front | 42.0" | | | |
| <i>Hip Room</i> | | | | |
| Front | 65.6" | | | |
| <i>Shoulder Room</i> | | | | |
| Front | 68.1" | | | |



Selected Options

| Code | Description | MSRP |
|------------------------------|--|-------------|
| Base Vehicle | | |
| E3F | Base Vehicle Price (E3F) | \$30,445.00 |
| Packages | | |
| 780A | Order Code 780A | N/C |
| Powertrain | | |
| 99S | Engine: 6.8L EFI Triton V10 | Included |
| 44P | Transmission: Electronic 6-Speed Automatic w/OD <i>Includes tow haul.</i> | Included |
| X58 | 4.56 Axle Ratio | STD |
| LATE AVAILABILITY | | |
| 20X | GVWR: 10,050 lb Payload Package | Included |
| Wheels & Tires | | |
| T38 | Tires: LT245/75Rx16E BSW AS | Included |
| 642 | Wheels: 16" x 7" Steel Painted Gray | Included |
| 614 | 16" Sport Wheel Covers | \$120.00 |
| Seats & Seat Trim | | |
| 211 | Dual High Back Buckets | Included |
| A | Vinyl Seat Trim | Included |
| Other Options | | |
| PAINT | Monotone Paint Application | STD |
| 138WB | 138" Wheelbase | STD |
| 63M | Heavy-Duty 155-Amp Alternator | \$80.00 |
| 54E | Telescopic Trailer Tow Mirrors w/Flat Lens <i>Manual with power adjust flat lens.</i> | \$230.00 |
| 559 | Frame Pucks (Isolators) <i>Includes 12 body mounts.</i> | \$50.00 |
| 903 | Power Windows & Locks Group <i>Includes 1-touch down power driver window.</i> | \$465.00 |



Selected Options (cont'd)

| Code | Description | MSRP |
|------------------------|---|-------------|
| 948 | Remote Keyless Entry | \$225.00 |
| 525 | Cruise Control | \$240.00 |
| 585 | Radio: Premium ETR AM/FM Stereo/Digital Clock/CD <i>Single disc. Includes audio input jack and 2-speakers</i> | \$295.00 |
| 98S | SYNC Communications & Entertainment System <i>Includes 911 assist, vehicle health reports, traffic reports, GPS based turn-by-turn driving directions and AppLink. Includes: - Auto-Dimming Inside Rear-View Mirror w/Microphone</i> | \$475.00 |
| 47Z | Ambulance Prep Package Not Required REQUIRED on orders not destined for ambulance use. | N/C |
| 18A | High Series Exterior Upgrade Package | \$105.00 |
| 52S | User-Defined Switches <i>Includes 4 upfitter switches on the instrument panel.</i> | \$85.00 |
| 942 | Daytime Running Lamps (LPO) | \$45.00 |
| Interior Colors | | |
| AE_02 | Medium Flint | N/C |
| Primary Colors | | |
| YZ_01 | Oxford White | N/C |
| Upfit Options | | |
| KNAP 8 16 | KUV 129SUK <i>11 ft Service Body KUV 129SUK with Class 5 Hitch and Back up Alarm Built TO Customer Specs'</i> | \$9,650.00 |
| SUBTOTAL | | \$42,510.00 |
| Destination Charge | | \$995.00 |
| TOTAL | | \$43,505.00 |

| | <i>Selected Options</i> | MSRP |
|---------------------------------------|---|-------------|
| Exterior:Oxford White | STANDARD VEHICLE PRICE | \$30,445.00 |
| Interior:Medium Flint | Order Code 780A | N/C |
| * LT 245/75R16 E BSW AS S-rated tires | Monotone Paint Application | STD |
| * Tinted glass | 138" Wheelbase | STD |
| * Bluetooth wireless streaming | Ambulance Prep Package Not Required | N/C |
| * Dual power remote mirrors | Paint Table : Primary | \$0.00 |
| * 16 x 7 steel wheels | Oxford White | N/C |
| * Tachometer | Medium Flint | N/C |
| * Vinyl seats | Daytime Running Lamps (LPO) | \$45.00 |
| * Front axle capacity: 5000 lbs. | Frame Pucks (Isolators) | \$50.00 |
| * Front spring rating: 4200 lbs. | Engine: 6.8L EFI Triton V10 | Included |
| * Frame section modulus: 5.7 cu.in. | Transmission: Electronic 6-Speed Automatic w/OD | Included |
| * Cab to axle: 80" | GVWR: 10,050 lb Payload Package | Included |
| | Tires: LT245/75Rx16E BSW AS | Included |
| | Wheels: 16" x 7" Steel Painted Gray | Included |
| | Dual High Back Buckets | Included |
| | Vinyl Seat Trim | Included |
| | Power Windows & Locks Group | \$465.00 |
| | 4.56 Axle Ratio | STD |
| | High Series Exterior Upgrade Package | \$105.00 |
| | Front Chrome Bumper w/Black Lower Fascia | Included |



Hwy
N/A

and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability system. See salesperson for the most current information.

Note ID: VOsc1



Currie Motors Frankfort Inc
9423 W Lincoln Hwy, Frankfort, Illinois, 604231388
Office: 708-479-1100

2017 E-350 Cutaway, SD Chassis
SD Chassis 138" WB SRW Base(E3F)

Pricing - Single Vehicle

| | MSRP | |
|---------------------------------------|--------------------|--------------------|
| <i>Vehicle Pricing</i> | \$43,505.00 | |
| <i>Pre-Tax Adjustments</i> | | |
| Code | Description | |
| M-009 | Municipal Plates | \$128.00 |
| M-Disc | Municipal Discount | -\$7,990.00 |
| <i>Municipal Discount St. Charles</i> | | |
| Total | | \$35,643.00 |

Customer Signature

Acceptance Date

**City of St. Charles, Illinois
Resolution No. _____**

A Resolution Authorizing the Mayor and the City Clerk of the City of St. Charles to Approve the Award of a 2017 Ford E350 Cutaway Van Chassis, with Knapheide KUV Body to Zimmerman Ford and Sell Replaced 2003 Ford E-350 SD Van Vehicle #1802

**Presented & Passed by the
City Council on _____, 2016**

BE IT RESOLVED by the Mayor and City Council of the City of St. Charles, Kane and DuPage Counties, Illinois, that the Mayor and City Clerk be and the same are hereby authorized to approve the award of a 2017 Ford E350 Cutaway Van Chassis, with Knapheide KUV Body to Zimmerman Ford and Sell Replaced 2003 Ford E-350 SD Van Vehicle #1802.

PRESENTED to the City Council of the City of St. Charles, Illinois,
this _____ day of November, 2016

PASSED by the City Council of the City of St. Charles, Illinois this _____ day of
November, 2016

APPROVED by the Mayor of the City of St. Charles, Illinois, this _____ day of
November, 2016

Raymond P. Rogina, Mayor

ATTEST:

City Clerk

COUNCIL VOTE:

Ayes:

Nays:

Absent:

Abstain: