HISTORIC PRESERVATION COMMISSION AGENDA ITEM EXECUTIVE SUMMARY Agenda Item COA: 14 N. Riverside Ave Title/Address: **Proposal:** Replace window **Petitioner:** Frank Collingbourne SINCE 1834 Please check appropriate box (x) **PUBLIC HEARING MEETING** \mathbf{X} 3/20/13 **AGENDA ITEM CATEGORY:** X Certificate of Appropriateness (COA) Façade Improvement Plan **Preliminary Review** Landmark/District Designation Discussion Item **Commission Business ATTACHMENTS:** Information on replacement window Photos of the building showing replacement window installed

EXECUTIVE SUMMARY:

A window was replaced at 14 N. Riverside Ave. without a permit on 3/7/13. The owner was allowed to secure the window pending review of the permit application.

The replacement window is constructed of vinyl with a horizontal hopper window across the bottom. The previous window was a fixed pane matching the other second floor windows. The window glass was cracked.

No other windows are proposed for replacement at this time.

RECOMMENDATION / SUGGESTED ACTION:

Provide feedback and recommendations for approval of the COA.

4 North Riversol-AVE Leplacen & Windon Tacking Spe 5



Simonton Windows 5500 Reflections

Awning · Vinyl · 3/32" Glass · Argon · Low-E · No Laminated Glass · No Grids

Ventana de proyección inferior Vinilo · 2.38 mm Vidrio · Argón · Low-E Sin vidrio laminado Sin rejillas

CPD: SBP-A-62-09288-00001

08-09 AW

ENERGY PERFORMANCE RATINGS EVALUACION DE RENDIMIENTO ENERGETICO

U-Factor

Solar Heat Gain Coefficient Coeficiente Ganancia de Energia Solar

Factor-U 0.27

(U.S./-P)

0.23

ADDITIONAL PERFORMANCE RATINGS EVALUACION SUPLEMENTARIA DE RENDIMIENTO

Visible Transmittance Transmision de Luz Visible

0.44

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC obes not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other

Este fabricante estipula que valores cumplén con los procedimientos aplicales de NERC para determinar el rendimento total del producto. Los valores usados por NERC son determinados por un conjunto tipo de condiciones ambientales y un temano de product específico. NERC no recomiende ningun product y no garantiza que el product see adacuado para un uso específico consulte con el follato del fabricante para a use antoniado de este product, www.nfrc.org. Consulte con el folleto del fabricante para e: use aprociado de este product, www.nfrc.org



Unit qualifies for ENERGY STAR® region(s): Northern, North Central, South Central, Southern.



STC: N/A

30 Qualified

DP:+50/-50

IND: Rein 00/Glass ProSolar/AP-R50 Tested Size: 60" x 36"

Florida Product Approval: FL5185 TDI # TDI-YVIN830

Applicable Test Standard(s): ANSI/AAMA/NWWDA 101/I.S.2-97, AAMA/WDMA/CSA 101/I.S.2/A440-05

9682016/01-2

J0055

PM FS

HINES

8109593

Keep this label for possible ENERGY STAR® rebates. To learn more visit www.energystar.gov. Guarde esta etiqueta posibles reembolsos ENERGY STAR®. Para conocer más acerca de esto, visite



