	AGENDA ITEM EXECUTIVE SUMMARY							
	Title:	Recommendation to Approve Purchase of a 2013 Vermeer BC 1800 XL Stump Grinder						
ST. CHARLES	Presenter:	Presenter: Mike Shortall						
Please check approp	riate box:							
Government (	Operations		X	Government Services 11.25.13				
Planning & D	evelopment			City	City Council			
Public Hearin	g							
			1		I	ı		1
Estimated Cost: \$	Estimated Cost: \$42,000		Budg	geted:	YES	X	NO	
If NO, please explain	how item will	be funded:	•					
<b>Executive Summary</b>	/ <b>:</b>							
City Staff is seeking						-		
This unit is currently portion of rental fees,		_						
This vehicle was bud	geted and appro	oved for \$42,000,	and wa	as appr	oved by	the City	y Fleet Cor	nmittee.
Attachments: (pleas	e list)							
Quote #306 dated Oc	tober 15, 2013							
Recommendation / S	~							

Agenda Item Number: 5.a

of \$42,000.

For office use only:



Vermeer-Illnois, Inc. 2801 Berverly Drive Aurora, IL 60502 (630) 820-3030 www.vermeermidwest.com

Quote #:

		306	
September 10, 2013			
Bill To:	Ship To:		
City of St Charles	City of St	Charles	
	Date	September 10,	
Gentlemen:			
I would like to submit this quote to you.			
1 - Vermeer BC1800XL, Demo 2013 150 h	ours, SN# 1VRY131Z	8D1004098, with:	\$54,899.00
- 130 HP Cummins Tier 3Turbo Charged			
<ul> <li>19" log Capacity Drum Chipper with 20'</li> <li>High Coolant Temperature and Low Oil</li> </ul>	X 24" Infeed Opening Pressure Automatic S	Shutdown	
- 35 Gallon Fuel Tank	Tressare Natornalie e	mataown	
<ul> <li>Patented Vermeer SMARTFEED Syste</li> </ul>	m		
- 10,000 lbs. Rubber Torsion Axle	. —.		
<ul> <li>LT235/75R17.5 Load Range J Standard</li> <li>Heavy Duty 10,000 lbs. Tongue Jack</li> </ul>	d Tires		
- Electric Brakes with Breakaway Switch			
- 13" Spring Loaded Autoclutch, Which C	an Only be Engaged a	at Low rpm	
<ul> <li>Upper and Lower Feed Stop Bar for Sa</li> </ul>	fety	•	
- Hydraulic winch with Interlock safety sy	stem		
- Spare set of knives included			
<ul> <li>2 Year/2,000 Hour Engine Warranty</li> <li>3 year/3,000 Hour Extended Limited Warranty</li> </ul>	arranty on Chinning Dr	num.	
- 1 year/1,000 Hour Parts and Labor Star	ndard Vermeer Limited	l Warranty (ending 6-24-	
2014)		(2.13.1.3	
		Machine Total Price	\$54,899.00
		Rental Credit	-\$6,000.00
		Total	\$48,899.00

# Payments on 60 month based on \$0.00 down payment. \$884 Proposal good for 30 days; we reserve the right at any time prior to acceptance to revoke this quotation. Date\_\_\_\_\_

Thank you for your consideration.

Finance Options with approved credit

nitials:	Page 1	of
iitiais.	rage i	υ

**Monthly Payment** 

Sincerely,

Kyle Cline Sales Representative (630) 337-4166 kyle.cline@vermeermidwest.com

Initials:



# BC1800XL SPECIFICATIONS

To learn more, please visit VERMEER.COM

#### **General Dimensions and Weights**

Length: 177" (450 cm) Height: 110" (279 cm) Width: 80" (203 cm)

Weight (w/o winch and hydraulic jack): 8740 lb (3964 kg) Weight (w/ winch and hydraulic jack): 9270 lb (4205 kg)

### **Engine Options**

Make and model: Cummins QSB4.5 Tier 3 Horsepower: 110 hp (82 kW) @ 2500 rpm Max torque: 360 ft-lb (488 Nm) @ 1500 rpm

Fuel type: Diesel Number of cylinders: 4 Cooling medium: Liquid

Make and model: Cummins QSB4.5 Tier 3 Horsepower: 130 hp (97 kW) @ 2500 rpm Max torque: 459 ft-lb (622 Nm) @ 1500 rpm

Fuel type: Diesel Number of cylinders: 4 Cooling medium: Liquid

Make and model: Cummins QSB4.5 Tier 3 Horsepower: 170 hp (127 kW) @ 2500 rpm Max torque: 460 ft-lb (623 Nm) @ 1500 rpm

Fuel type: Diesel Number of cylinders: 4 Cooling medium: Liquid

#### **Electrical**

System voltage: 12 DC, 65 amp alternator

Trailer lights: Incandescent

# Capacities

Fuel tank: 35 gal (132.5 L) Hydraulic tank: 12 gal (45.4 L)

## Chassis

Frame: C channel, C6" x 8.2 lb (3.7 kg) Tires: 235/75R17.5 Load Range J

Axle/Suspension: 10,000 lb (4535 kg) Dexter rubber torsion with electrical

brakes

Hitch: Pintle 2.375" (6 cm) diameter

#### **Cutting System**

Disc/drum speed: 1100 rpm Drum size: 36" (91 cm) diameter Drum thickness: .375" (1 cm)

Knives: 4 knives - 5.5" x 10" x .625" (14 x 25 x 1.6 cm) Bedknife: 4 sided - 3" x 20.25" x 1.25" (7 x 51 x 3.2 cm) Clutch: 13" (33 cm) spring loaded auto clutch

## Feed System

Chipping capacity: 19" (48 cm) Infeed opening height: 24" (61 cm) Infeed opening width: 20" (51 cm) Feed table length: 62.5" (159 cm) Feed table height: 30.5" (78 cm)

Feed roller style: Twin vertical, helical knives

Feed speed: 118 fpm (36 m/min)

### Discharge System

Discharge height: 110" (279.4 cm) Degree of rotation: 270 degrees



Equipment shown is for illustrative purposes only and may display optional accessories or components. Please contact your local Vermeer dealer for more information on machine specifications. Vermeer Corporation reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing at any time without notice or obligation.

Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries.

© 2011 Vermeer Corporation. All Rights Reserved.