AGENDA CITY OF ST. CHARLES, IL GOVERNMENT SERVICES COMMITTEE MEETING JAMES MARTIN, CHAIRMAN

MONDAY, JUNE 23, 2014, 7:00 P.M CITY COUNCIL CHAMBERS 2 E. MAIN STREET, ST. CHARLES, IL 60174

- 1. CALL TO ORDER
- 2. ROLL CALL
- 3. ADMINISTRATIVE
 - **a.** Electric Reliability Report Information only.
 - **b.** Presentation of Bob Leonard Walk-a-Thon Information only.

4. POLICE DEPARTMENT

- **a**. Recommendation to approve Street and Parking Lot Closures and Use of Amplification Equipment for the 2014 Scarecrow Festival.
- **b.** Recommendation to approve a Class E-2 Liquor License and Use of Amplification Equipment on August 16 17, 2014 for the Festival of the Horse & Drum at the Kane County Fairgrounds.
- **c.** Recommendation to approve Use of Amplification Equipment and Road Closure on October 19, 2014 for the Rhythm on the River.

5. PUBLIC WORKS DEPARTMENT

- **a.** Recommendation to approve Construction Services Agreement for the Municipal Parking Lot Construction.
- **b.** Recommendation to approve Contract with American Roofing & Repair for Fire Station #3 Roofing Project.
- **c.** Recommendation to approve Agreement to make Repairs to Fishing Platform.
- **d.** Recommendation to approve Purchase Order with Delta Star for City Hall Substation Transformer.

Government Services Committee Meeting Monday, June 23, 2014 Page 2

6. FIRE DEPARTMENT

a. Recommendation to approve an Ordinance Amending Title 2 "Administration and Personnel," Chapter 2.36 "Emergency Management Agency".

7. ADDITIONAL BUSINESS

8. EXECUTIVE SESSION

- Personnel
- Pending Litigation
- Probable or Imminent Litigation
- Property Acquisition
- Collective Bargaining

9. ADJOURNMENT

| | | AGENDA I | ТЕМ Е | CXECU | TIVE SUM | MARY | |
|------------------------|------------------|-------------------|---------|-------|--------------|----------------|----|
| | Title: | Electric Reli | ability | Repo | ort – Inform | nation Only | |
| ST. CHARLES | Presenter: | Tom Bruhl | | | | | |
| | | | | | | | |
| Please check appro | t Operations | | X | Gove | ernment Serv | vices 06.23.14 | ļ. |
| Planning & Development | | | | City | Council | | |
| Public Hear | ring | | | | | | |
| Estimated Cost: | \$ | | Budg | otod: | YES | NO | |
| | · | ha fundadı | Duug | eteu. | IES | NO | |
| If NO, please expla | in now item win | be funded. | | | | | |
| | | | | | | | |
| Executive Summa | ry: | | | | | | |
| En information and | 1 | | | | | | |
| For information on | ıy. | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | 1. | | | | | | |
| Attachments: (plea | ase list) | | | | | | |
| May 2014 Outage I | Report. | | | | | | |
| Recommendation | / Suggested Acti | on (briefly expla | in): | | | | |
| For information on | ly. | | | | | | |
| For office use only: | · Agenda Ite | m Number: 3.a | | | | | |

City of St. Charles May 2014 Outages

| OUTAGE No. | DATE | TIME OFF | TIME ON (Min) | AREA AFFECTED | CIRCUIT No. | CAUSE | NO. OF CUST. | OUTAGE MINUTES | MAJOR CATEGORY | SUB CATEGORY |
|------------|-----------|----------|---------------|---|-------------|--|-----------------|-------------------|-------------------|------------------------------|
| 1 | 5/7/2014 | 5:15 PM | 135 | 1180 Persimmon Dr. | 112 | Underground; service cable failure | | 270 | Equipment | Service |
| 2 | 5/8/2014 | 4:58 PM | 0 | SE side of town | 11167 | ComEd momentary during storm event, ComEd confirmed customer owned transformer at Fermi failed | | 0 | ComEd | L11167 |
| 3 | 5/8/2014 | 5:51 PM | 0 | SE side of town | 11167 | ComEd momentary during storm event, ComEd confirmed customer owned transformer at Fermi failed | 629 | 0 | ComEd | L11167 |
| 4 | 5/12/2014 | 7:20 PM | 70 | 905 Manley Rd. | 224 | Underground; service cable failure | 1 | 70 | Equipment | Service |
| 5 | 5/13/2014 | 1:15 AM | 75 | 416 N. Tyler Rd. | 514 | Customer; system problem | 1 | 75 | Others | Customr Equipment Failure |
| 6 | 5/14/2014 | 7:45 PM | 75 | 272 Sedgewick Cir. | 224 | Customer; system problem | 1 | 75 | Others | Customr Equipment Failure |
| 7 | 5/15/2014 | 6:00 PM | 135 | 600 Industrial Dr. (Old Food Pantry) | 514 | Scheduled; customer request to replace XFMR | 1 | 135 | Others | Customr Equipment Failure |
| 7 | 5/15/2014 | 7:55 PM | 0 | 600 Industrial Dr. (Old Food Pantry) | 514 | Customer owned overhead; transformer failure, caused momentary outage | 294 | 0 | Others | Customr Equipment Failure |
| 8 | 5/19/2014 | 1:00 PM | 0 | Oakhill Ct. | 224 | Scheduled; customer request switch loops | 4 | 0 | Scheduled | Customer |
| 9 | 5/19/2014 | 1:15 PM | 0 | Elm Tree Ct. | 224 | Scheduled; customer request switch loops | 8 | 0 | Scheduled | Customer |
| 10 | 5/20/2014 | 6:13 PM | 63 | City Hall, Police Department | 7962 | ComEd Line lost L7962 - Partial restoration using City switching ties | 10 | 630 | ComEd | L7962 |
| 10 | 5/20/2014 | 6:13 PM | 70 | SE Quadrant, NE Quadrant to Q Center | 7962 | ComEd Line lost L7962 - Partial restoration using City switching ties | 897 | 62,790 | ComEd | L7962 |
| 10 | 5/20/2014 | 6:13 PM | 79 | SW Quadrant, 1st St. | 7962 | ComEd Line lost L7962 - Partial restoration using City switching ties | 958 | 75,682 | ComEd | L7962 |
| 10 | 5/20/2014 | 6:13 PM | 82 | SW Quadrant, 1st St. | 7962 | ComEd Line lost L7962 - Partial restoration using City switching ties | 350 | 28,700 | ComEd | L7962 |
| 10 | 5/20/2014 | 6:13 PM | 106 | W. of River, North H.S. 8 surrounding area | 7962 | ComEd Line lost L7962 - Partial restoration using City switching ties | 239 | 25,334 | ComEd | L7962 |
| 10 | 5/20/2014 | 6:13 PM | 108 | E. of River, Woods of Fox Glen & Persimmon | 7962 | ComEd Line lost L7962 - Partial restoration using City switching ties | 220 | 23,760 | ComEd | L7962 |

City of St. Charles May 2014 Outages

| OUTAGE No. | DATE | TIME OFF | TIME ON (Min) | AREA AFFECTED | CIRCUIT No. | CAUSE | NO. OF CUST. | OUTAGE MINUTES | MAJOR CATEGORY | SUB CATEGORY |
|------------|-----------|----------|---------------|--|--------------|---|-----------------|-------------------|-------------------|--------------------------|
| 10 | 5/20/2014 | 7:04 PM | 0 | Large areas center of City & SW Quad. | 13150 | ComEd Line lost L13150 when arrester at our City Hall Sub failed. Arrester failed due to overvoltage exposure to the L7962 event. Arrester on 3T3 blew while trying to pick the TR up from L13150 while 7962 was still out. | 2880 | 0 | ComEd | L7962 |
| 11 | 5/27/2014 | 9;30 AM | 480 | 625 Geneva Rd. | 331 | Others, Tree trimmer dropped large tree limb; caused a fire. | 1 | 480 | Others | Tree Trimmer Accident |
| 12 | 5/27/2014 | 8:00 PM | 64 | 800 Block S. 7th St. | 624 | Small tree limb; fell on transformer | 11 | 704 | Tree | Small Branch |
| 12 | 5/27/2014 | 9:00 PM | 0 | 800 Block S. 7th St. | 624 | Small tree limb; fell on transformer, momentary on circuit | 775 | 0 | Tree | Small Branch |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | Total of Interrupted Minutes | <u> </u> | 218,705 | | |
| | | | | | | Total SAIDI* | 14,110 | | | |
| | | | | | | Total of ComEd Interrupted Minutes | | 216,896 | | |
| | | | | | | Total SAIDI without ComEd | 0.117 | | | |
| | | | | | ļ | *System Average Interruption Duration Index (SAIDI) | | | | |
| | | | | | | | | | | |


| | | | AGENDA I | тем Е | EXECU | JTIVE SUMI | MARY | |
|-----------------------------------|-------------------|------------------------------------|--|-----------|--------------|----------------|---|--------|
| | 9 | Title: | Presentation of the Bob Leonard Walk-a-Thon – Information only | | | | | |
| ST. CHARI | | Presenter: | Interim Chief Huffman | | | | | |
| Please check | appro | priate box: | _ [| | | | | |
| | | t Operations | X | Gov | ernment Serv | vices 06.23.14 | | |
| Plann | ning & | Development | | | City | Council | | |
| Publi | c Hear | ing | | | 1 | | | |
| | | | | | | | | |
| Estimated Co | ost: | PD:\$340.48 | | | eted: | YES | NO | |
| | PW:\$663.62 | | | | | | | |
| If NO. please | e expla | Total: \$1,004.10 in how item will | | | | | | |
| · · · · · · · · · · · · · · · · · | <u>F</u> | | | | | | | |
| Executive Su | umma | ry: | | | | | | |
| This special | event a | application was re | eceived on May 1 | 6, 2014 | ŀ. | | | |
| Council is no Committee w | ot need vanted | ed as no City ser | vices are required the details of this | l for thi | s even | t; however, t | proval by Committe he Special Events mation" basis so a | |
| | | | | vell as f | food ve | endors and a | canine companion | a |
| Timbers sub | divisio | n, as well as othe | | ısinesse | es affe | cted by this r | o residents of the oute, informing the ication is in use. | iem of |
| Attachments | s: (ple | ase list) | | | | | | |
| Diagrams (2) |) | | | | | | | |
| Recommend | lation | / Suggested Acti | on (briefly explai | in): | | | | |
| Information | nurnos | es only | | | | | | |

Agenda Item Number: 3.b

COURSE MAP (Run)



BOB LEONARD WALK-A-THON




AGENDA ITEM EXECUTIVE SUMMARY Title: Recommendation to approve Street and Parking Lot Closures and Use of Amplification Equipment for the 2014 Scarecrow Festival Interim Chief Huffman Presenter: SINCE 1834 Please check appropriate box: **Government Operations** X Government Services 06.23.14 Planning & Development City Council **Public Hearing** Budgeted: **Estimated Cost:** Police: \$12,372.80 YES X NO Fire & EMA: \$2,476.00 PW: \$12,421.22 Total: \$27,270.02 If NO, please explain how item will be funded: **Executive Summary:** This special event application was submitted on May 2, 2014. The 2014 Scarecrow Festival will be held on October 10-12, 2014. The event remains sponsored by the St. Charles Convention and Visitors Bureau, with the coordination being handled through Ravenswood Event Services. Both have made application through the special events process and met with the city's special events committee. Attached are the requested day/dates for parking lot and street closures. With parking on Cedar Street being restricted, special arrangements have been agreed on to retain access to Johnson's Statuary by way of 4th Street. In addition, they are requesting permission to use directional signage on the public parkway and use of sound amplification during the event. The Police Department requests authorization to modify the planned use area where it is operationally necessary. **Attachments:** (please list) Property Layout Maps for Scarecrow Festival (4) Street Closure Requests


Recommendation to approve Street and Parking Lot Closures and Use of Amplification Equipment for

Recommendation / Suggested Action (briefly explain):

Agenda Item Number: 4.a

the 2014 Scarecrow Festival.






t. Charles Scarecrow Fest 2013


aft:10/04/13


NTS



St. Charles Scarecrow Fest 2013

draft:10/04/13





St. Charles Scarecrow Fest 2013 draft:10/04/13 NTS

draft: 10/04/13

Updated: 4/4/2014

Street Closings, Parking Lot & Designated Handicapped Parking Requests St. Charles Scarecrow Fest October 10-12, 2014 (including set-up October 8 & 9, 2014)

Street Closing, Temporary One-Way, Handicapped Parking Requests: East of Fox River

- 1. Handicapped Parking: First Avenue on-street Parking west side designated Handicap Parking Only: Friday, Saturday, and Sunday from 6am to 6pm.
- 2. Parking: First Avenue on-street parking east side (two spaces) along Armand's & Warehouse Antiques designated Handicap Parking: Friday 6 am to Sunday 6pm. (Signs need to be posted on Thursday).
- 3. The two 30 minute parking spaces at 10 State Avenue in front of Door #1 designated as "POLICE RELATED Business Parking Only" from Fri at 6am through Sun at
- 4. No Parking on 2nd Ave between State Ave and Cedar Ave (Trolley Route and stops)
 5. No Parking on Cedar Ave between 1st Ave and 2nd Ave (Trolley Route and stops)
- 6. No Parking on State Ave between 1st Ave and 2nd Ave (Trolley Route and Stops)


Parking Lot Closing Requests:

East of Fox River

- 1. Municipal Lot (locations tbd) adjacent to Municipal Building, Thursday 5am to Sun at 11pm. (Dumpster to be removed Monday before 10am).
- 2. Municipal Lot checkerboard lot at the corner of Main & Riverside

Street Closing, Temporary One-Way, Handicapped Parking Requests: West of Fox River

- 1. Closure: North Third St. between Main & State Streets from Thurs 5am to Sun 11pm (police, fire & delivery vehicles to be allowed access each night between 8pm-6am). East or West side will be maintained as a fire lane.
- 2. Closure: North Fourth St. between Main & Cedar Streets from Thurs 5am to Sun 11pm. East side will be maintained as a fire lane.
- 3. Closure: North Fifth St. between Main & Cedar Streets from Thurs 5am to Sun 11pm. West side will be maintained as a fire lane.
- *A. Closure: Cedar St. between 2nd St and 4th St Thu 5am to Sun at 11pm.
 - Handicapped Parking: North Fifth St between Cedar and State Streets east side only handicapped parking: Fri at 6am to Sun at 6pm. (Signs need to be posted on Thursday.)
- 6. Handicapped Parking: North Fourth Street between Cedar and State Streets west side only from Friday at 6am to Sunday at 6pm. (Signs need to be posted on Thursday).
- 7. Handicapped Parking: East side of 3rd St. between Cedar St. and Rt. 64 Fri 6am to Sun 10pm.
- 8. 6th Street at State Street... temporary NO parking on N 6th Street east side near State Street to allow radius turn for trolley.
- 9. Cedar Street at 3rd street, north side. Temporary NO parking in first three parking spots from corner to VFW lot entrance - for food storage trucks.



Updated: 4/4/2014

Parking Lot Closing Requests:

West of Fox River

- 1. River Plaza Parking lot "G" (west side of N. Second Street [Route 31] between Cedar and State Streets on Wed 6am to Sunday 10pm for Windy City Carnival.
- 2. Old VFW lot Wednesday at 6am to Monday at 12pm.
- 3. Old St. Charles Court lot on north Third St., west side, between west Main and Cedar Streets, Thursday at 6am to Sun at 11pm.

Additional Requests:

- 1. All parking spaces on the south side of Cedar Street between Fourth and Fifth Streets to place dumpsters, toilets, and limited-time entertainment parking with permit. Thursday 6am to Sunday 10pm.
- 2. Cedar Street at 3rd street, north side. Temporary NO parking in first three parking spots from corner to VFW lot entrance for food storage trucks.
- 3. Permission to use grassy areas in new Municipal lot
- 4. Permission to use land along the Freedom Walk from Main Street bridge north to Pottawatomie Park for vendors.
- 5. Permission to use walkway/courtyard to the south and west of the Municipal Center for children's activities and select vendors.
- 6. Permission to place tents on Fourth Street between Main and Cedar Streets, west side.
- 7. Permission to place tents on Fifth Street between Main and Cedar Streets, east side flush against the park.
- 8. Permission to place activity on 3rd street between Main & Cedar to be picked up/removed each evening.

Scarecrow Festival 2014: October 10-12 (open to public dates)

Lincoln Park tent set up (south side of park & gazebo) Wednesday and Thursday, October 8 & 9: 8am-10pm. As always, due consideration will be a priority for students of St. Patrick. Set up and Community night: Thursday, October 9: 9am-10pm.

Event Days

Friday and Saturday October 10 and 11: 10am-6pm; (Lincoln Park to remain open until 9pm) Sunday, October 12: 10am – 5pm.

Trolleys

Two trolleys will run Friday, Saturday, and Sunday

Shuttles (School buses)

Will run Friday, Saturday and Sunday. West of the river from Charlestown Mall Shopping Center to First Street. East of the river from Haines and Thompson Middle Schools to St. Patrick's Church.


Updated: 4/4/2014

PROPERTY BEING REQUESTED FOR VENDING/SPONSOR AREAS:

- Lincoln Park
- 5th Street from Cedar to Main
- 4th Street from Cedar to Main
- 3rd Street from Cedar to Main
- Cedar from 2nd to 4th Street
- Old VFW lot
- Rt. 31 & Cedar Parking lot (for Carnival)
- Old St. Charles Parking Lot (Filling Station)
- Municipal lot (sections to be discussed)
- Municipal Courtyard (checkerboard lot)
- Commercial Riverwalk from Main Street to Pottawotamie Park

| | | | AGENDA I | тем Е | XECU | TIVE S | UMMA | RY | |
|---|---|---|--|--|--|---|--|---|--|
| | | Title: | License and Use of Amplification Equipment on | | | | | | |
| T. | CHADLES | | August 16 – 17, 2014 for The Festival of the Horse & Drum at the Kane County Fairgrounds | | | | | | |
| | CHARLES CE 1834 | Presenter: | Interim Chief I | | | y rang | grounds | <u> </u> | |
| Please | e check appropi | riate hox: | | | | | | | |
| 1 icuse | Government (| | | X | Gove | ernment | Service | es 06.23.14 | |
| | Planning & D | evelopment | | | City | Council | | | |
| | Public Hearin | g | | | | | | | |
| | | | | T | <u> </u> | T | | 1 | 1 |
| | | | | | | | | | |
| | | how item will b | | | | | | | |
| | sponsor will co ed officers for t | | y with the Police | Depar | tment | to detern | nine the | eir cost for t | the |
| | itive Summary | | | | | | | | |
| This s | pecial event app | plication was re | ceived on May 1 | 6, 2014 | | | | | |
| It will event: Augus equipr operat alcoho permit related contra coordi person | be held at the I as outlined in that 16 and from 9 ment for the dure a beer garden of sales to start at ted hours for all to food and id acted with a privalent with the senal for the beer | Kane County Father attached materials attached materials and artification of the event at 10:00 a.m. book look ales undirentification check at escurity correcurity agency at a garden at the experiments and the experiments at the experiments | arles is hosting an irgrounds. The exital. The event of t | event is will run, Augus In addit Temport the tinde tense states will ecurity appropriate the appropriate appropriate the tinds will ecurity appropriate appropria | a first a from st 17, 2 tion, G ary Lio ne of th art at 1 l apply , for th | annual in 9:00 a.m. 2014. The fino's Eaquor Liche event 10:00 a.m. The event. | multi-cuntil in the use of ast has not been seen that it is a surface of the control of the cont | altural, mul 10:00 p.m. of amplifica made applic s been requ r City Title other provisionsors have lice Depart | tti-media Saturday, ttion eation to nested for 5.08.130, sions ement will |
| Attacl | hments: (pleas | e list) | | | | | | | |
| Diagra | am | | | | | | | | |
| Recon | nmendation / S | Suggested Action | on (briefly explai | (n): | | | | | |
| | | | E-2 Liquor Lice | | | - | | | |
| | | | al of the Horse & | Drum | at the | Kane Co | ounty Fa | airgrounds. | |
| ror off | fice use only: | Agenda Item | Number: 4.b | | | | | | |

3-BEER GARDEN ST CHARLES, ILLINOIS



| | | AGENDA I | тем Е | XECU | TIVE SUM | MARY | | |
|--|--|--|--|-----------------------------|---|---|---------------------------------------|--|
| | Title: | Title: Recommendation to Approve Use of Amplificate Equipment and Road Closure on October 19, 20. The Rhythm on the River | | | | | | |
| ST. CHARLES | Presenter: | Interim Chief I | Huffma | n | | | | |
| Please check approp | riate box: | | | | | | | |
| Government | Operations | | X | Gove | ernment Serv | rices 06.23.14 | | |
| Planning & I | Development | | | City | Council | | | |
| Public Hearin | ng | | | | | | | |
| Estimated Cost: 1 | timated Cost: PW: \$502.12 | | | | YES | NO | | |
| If NO, please explain | n how item will | be funded: | | | | | | |
| | | | | | | | | |
| Executive Summar | y : | | | | | | | |
| This special event ap | oplication was re | eceived on May 2 | 2, 2014 | ·• | | | | |
| The St. Charles Noo musical event at the and dance exhibition have received coope take place on S. Rive and diagonally at Wa access for spectators | Arcada theater. The car show ration with Harrerside Avenue. I alnut Avenue to | In addition, this y would take place is Bank to close the Event sponsors was accommodate for the sponsors was accommodated was accommod | year the in the Ithis lot it ould like rething day | y would arris for the to cl | ld like to add Bank parking event. The d ose S. Rivers | an antique car glot. Event spo lance exhibition side off at Main | show onsors n would n Street | |
| Attachments: (pleas | se list) | | | | | | | |
| Diagram | | | | | | | | |
| Recommendation / | Suggested Acti | on (briefly explai | in): | | | | | |
| Recommendation to | annraya uga of | 11.61 | | | | | | |

Agenda Item Number: 4.c

Rhythm on the River

RAYMOND ROGINA Mayor

MARK KOENEN City Administrator







| | | AGENDA IT | тем Е | XECU | TIVE S | UMMAI | RY | |
|---|---|--|--|--|---|--|---|---|
| | Title: | Recommendation to approve Construction Service | | | | | | |
| | | Agreement for the Municipal Parking Lot | | | | | | |
| | | Reconstruction with A Lamp Concrete Contract | | | | | | tors |
| ST. CHARLES | Presenter: | Peter Suhr | | | | | | |
| Please check appro | ppriate box: | <u> </u> | | | | | | |
| | at Operations | | X | Gove | ernment | Services | 06.23.14 | ļ |
| Planning & | ning & Development | | | City | Council | | | |
| Public Hear | ring | | | | | | | |
| Estimated Cost: | \$830,000 | | Budge | eted: | YES | X | NO | |
| f NO please evola | blease explain how item will be funded: | | | | | | | |
| Executive Summa | | be funded. | | | | | | |
| Department and Police general public for the general public for the general public for the general public garecrow for public gathering lovia improved traffic felectric and storm seven Construction is anticipated for this programment of the | ese facilities, it also est. This project we in the River Corrido aping along the Fox ocation. The project flow patterns and wer infrastructure. ipated to commence | o acts as an epicenter ill help to provide a r Plan. In addition to River and provide at will also improve valkways, improve be on July 14 th and be combination of Cou | r to man dditiona o increa a public pedestr ighting e comp | ny of the al greer asing the color plaza, rian safe, and include October 1988. | ne larger properties amount areating ety within clude reputober 3 rd | oublic ve or resident t of green an oppoint the pub- lacement | nues such a tts and visit n space the rtunity for j lic parking t of water n | as River fors to project public art lot itself main, |
| A 44 1 4 / 1 | | | | | | | | |
| Attachments: (plea | ase list) | | | | | | | |
| None | ase list) | | | | | | | |
| <u> </u> | , | i on (briefly explain | ı) : | | | | | |

Agenda Item Number: 5.a

| | | AGENDA I | Ітем Е | XECU | TIVE S | UMMA) | RY | |
|---|--|--|--------------------------------------|--------------------------------------|--|--|--|--|
| | Title: | Title: Recommendation to approve Contract with Am Roofing & Repair for Fire Station #3 Roofing I | | | | | | |
| ST. CHARLES | Presenter: | Chris Adesso | | | | | | |
| Please check app | ropriate box: | | | | | | | |
| | ent Operations | | | | ernment | Services | s 06.23.20 | 14 |
| Planning & | & Development | | | City | Council | | | |
| Public Hea | aring | | | | | | | |
| Estimated Cost: | \$69,300 | \$69,300 | | | YES | X | NO | |
| If NO please eyn | If NO, please explain how item will be funded: | | | | | | | |
| cause for recent le Infrared Thermog was a perfect cand waterproofing me We estimate that t | tary: ta | equires immediate that the roof's inswaterproofing me the roof to new 000 savings when | te attenticulation embrane condition | ion. A was dr in lier ons an ared to | fter condry, it was a of a cond will be a tear-o | cluding of determ mplete regulariant guarant ff and re | evidence fined that the replacemented for 15 replac | From an his roof ont. The 5-years. t. We |
| American Roofing | g was the low bidd ne Project Manual | ler, is a qualified | contract | | | | | |
| Attachments: (pl | lease list) | | | | | | | |
| Proposal from An | nerican Roofing to | provide new roo | f on Fire | e Stati | on #3. | | | |
| Recommendation | n / Suggested Acti | ion (briefly expla | in): | | | | | |
| Recommendation Repair in the amo | to waive the formulant of \$69,300. | al bid procedure | and app | rove P | roposal f | From An | nerican Ro | oofing & |

Agenda Item Number: 5.b

PROJECT BID FORM

All of the information and spaces of this <u>BID FORM</u> must be completely filled out and submitted on time to the attention of the person listed below. Failure to complete this <u>BID FORM</u> may cause the Building Owner the right to reject the entire bid.

Proposal to be submitted to:

SUBMIT BIDS VIA EMAIL OR DELIVERY TO:

City of St. Charles Public Works Attention: Chris Adesso 200 Devereau Way St. Charles, IL 60174 cadesso@stcharlesil.gov

Bids Due no later than 5/20/14 at 10:00am

Roof Identification & Project Location:

Roof restoration at Fire Station #3 in St. Charles, Illinois

| Contractor Information: | AMERICAN ROOFING & REDAIR CO. dino |
|-------------------------|--|
| Submitted By: | AMERICAN ROOFING & REPAIR CO. div. o. <u>COMBINED ROOFING SERVICES U.C.</u> (Contractors Name) |
| Address of Contractor: | 621 W. WASHINGTON ST. |
| City, State, Zip: | WEST CHICAGO, IL GOIBS |
| Contractor Contact: | ERIC LARSEN |
| Phone Number: | 630-231-4422 |
| Fax Number: | 630 - 231-9153 |

Scope of Work: Install White Knight Plus Energy-Star Rated, reflective roof coating with manufacturer's 10 Year Warranty.

Base Bid:

SCOPE OF WORK

- A. Perform repairs in field and flashings as specified by manufacturer at prebid conference and marked on roof.
- B. Clean entire roof surface using Simple Green or TSP/water using power washer.
- C. Powerwash roof surface (two (2) passes) to ensure cleaner is removed from roof
- D. Coat entire roof with liquid waterproofing membrane base coat(White Knight Plus base coat) at a rate of 2.0 Gal./Sq. (using roller).
- E. Apply a second coat of liquid waterproofing membrane (White Knight Plus) over entire roof at a rate of 2.0 Gal./Sq.
- F. Install 14:12" tapered polyisocyanurate insulation cricket between southwest scupper and western drip edge.
- G. Install Kynar-coated 24-ga. Steel surface-mounted counterflashing on wall flashing between sections 1 & 2.
- H. Clean & Haul away debris.

Price to install White Knight Plus restoration coating To Fire Station #3

\$ 69,300 (total price)

Crie fusen

Enic Lansen

Submitted By: HMERICAN REGAREPAIR CO. Signed

REQUEST FOR WAIVING BID PROCEDURE

We request the City Council to waive the bid procedure and accept the quotation (requiring twothirds City Council vote) submitted by:

American Roofing & Repair Company 621 W. Washington West Chicago, IL 60185

For the purchase of: New 10,225 SF Roof Coating on Fire Station #3

At a cost of: \$69,300.00


Reason for the request to waive the bid procedure: We solicited bids to three (3) separate qualified roofing contractors, but did not send the project out for RFP's or General Bid. Bids ranged from \$69,300 - \$101,202. American Roofing was the lowest bidder, is a qualified contractor for this type project and met all of the requirements as outlined in the Project Manual and Specifications, in addition they successfully complete this same type of project on FS #2 in 2010.

| Other Quotations Received: 3 |
|------------------------------|
| Date: <u>06/23/2014</u> |
| Requested by: |
| Department Director: |
| Purchasing Manager: |
| Committee Chairman: |

THIS REQUEST FORM MUST BE SIGNED BY ALL PARTIES PRIOR TO REQUESTING COMMITTEE APPROVAL FOR WAIVING OF THE BID PROCEDURE. REQUESTS FORWARDED DIRECTLY TO THE CITY COUNCIL (AND BYPASSING COMMITTEE) MUST BE SIGNED BY ALL PARTIES PRIOR TO REQUESTING CITY COUNCIL APPROVAL. SUCH REQUESTS ARE TO BE OF AN EMERGENCY NATURE WHERE TIME IS OF THE ESSENCE.

| Planning & Development City Co Public Hearing | IVE SUMN | MARY | |
|---|--|--|---|
| Please check appropriate box: Government Operations Planning & Development Public Hearing Estimated Cost: \$90,000 Budgeted: Y If NO, please explain how item will be funded: Dollars from the City's insurance claim will fund this project Executive Summary: On April 18, 2013 and for several weeks following, St. Charles experie River that cause damage to the Lannon Stone Fishing Platform and Fowest of the Municipal Center. The platform and fountains were inundatime and the bonding agents that hold the stone to the base were satura threshold. The flooded areas were also exposed to collisions with floo at much higher frequency and at a higher velocity than under normal c After the flood waters receded staff identified and quantified the dama the City's finance department to make an insurance claim. The City's and independent consultant out to review the area and make a recomm platform and fountains; this cost was \$90,000, which the City has alreading the consultant of the platform and fountains while acagainst another event of this type. Attachments: (please list) | _ | ement to mak | xe . |
| Government Operations X Government Planning & Development City Co | | | |
| Planning & Development City Co Public Hearing Estimated Cost: \$90,000 Budgeted: Y If NO, please explain how item will be funded: Dollars from the City's insurance claim will fund this project Executive Summary: On April 18, 2013 and for several weeks following, St. Charles experie River that cause damage to the Lannon Stone Fishing Platform and Fo west of the Municipal Center. The platform and fountains were inundatime and the bonding agents that hold the stone to the base were satura threshold. The flooded areas were also exposed to collisions with floo at much higher frequency and at a higher velocity than under normal c After the flood waters receded staff identified and quantified the dama the City's finance department to make an insurance claim. The City's and independent consultant out to review the area and make a recomm platform and fountains; this cost was \$90,000, which the City has alread Staff has since been working with Wiss, Janney, Elstner Associates, In Masonry Restoration, LLC. (BAMR) the original design professionals formulate a plan to make repairs to the platform and fountains while acagainst another event of this type. Attachments: (please list) | | | |
| Estimated Cost: \$90,000 Budgeted: Yell NO, please explain how item will be funded: Dollars from the City's insurance claim will fund this project Executive Summary: On April 18, 2013 and for several weeks following, St. Charles experience River that cause damage to the Lannon Stone Fishing Platform and Fowest of the Municipal Center. The platform and fountains were inundatine and the bonding agents that hold the stone to the base were satural threshold. The flooded areas were also exposed to collisions with floo at much higher frequency and at a higher velocity than under normal community of the City's finance department to make an insurance claim. The City's and independent consultant out to review the area and make a recomm platform and fountains; this cost was \$90,000, which the City has already staff has since been working with Wiss, Janney, Elstner Associates, In Masonry Restoration, LLC. (BAMR) the original design professionals formulate a plan to make repairs to the platform and fountains while adagainst another event of this type. Attachments: (please list) | ment Serv | vices 06.23.201 | 4 |
| Estimated Cost: \$90,000 Budgeted: Yell NO, please explain how item will be funded: Dollars from the City's insurance claim will fund this project Executive Summary: On April 18, 2013 and for several weeks following, St. Charles experience River that cause damage to the Lannon Stone Fishing Platform and Fowest of the Municipal Center. The platform and fountains were inundatine and the bonding agents that hold the stone to the base were saturathreshold. The flooded areas were also exposed to collisions with floo at much higher frequency and at a higher velocity than under normal content of the City's finance department to make an insurance claim. The City's and independent consultant out to review the area and make a recomm platform and fountains; this cost was \$90,000, which the City has alreaded the City in | ouncil | | |
| If NO, please explain how item will be funded: Dollars from the City's insurance claim will fund this project Executive Summary: On April 18, 2013 and for several weeks following, St. Charles experie River that cause damage to the Lannon Stone Fishing Platform and Fowest of the Municipal Center. The platform and fountains were inundatine and the bonding agents that hold the stone to the base were saturathreshold. The flooded areas were also exposed to collisions with floo at much higher frequency and at a higher velocity than under normal characteristic finance department to make an insurance claim. The City's and independent consultant out to review the area and make a recomm platform and fountains; this cost was \$90,000, which the City has already staff has since been working with Wiss, Janney, Elstner Associates, In Masonry Restoration, LLC. (BAMR) the original design professionals formulate a plan to make repairs to the platform and fountains while adagainst another event of this type. Attachments: (please list) | | | |
| If NO, please explain how item will be funded: Dollars from the City's insurance claim will fund this project Executive Summary: On April 18, 2013 and for several weeks following, St. Charles experie River that cause damage to the Lannon Stone Fishing Platform and Fowest of the Municipal Center. The platform and fountains were inundatine and the bonding agents that hold the stone to the base were saturathreshold. The flooded areas were also exposed to collisions with floo at much higher frequency and at a higher velocity than under normal characteristic finance department to make an insurance claim. The City's and independent consultant out to review the area and make a recomm platform and fountains; this cost was \$90,000, which the City has already since been working with Wiss, Janney, Elstner Associates, In Masonry Restoration, LLC. (BAMR) the original design professionals formulate a plan to make repairs to the platform and fountains while adagainst another event of this type. Attachments: (please list) | YES | NO | X |
| Executive Summary: On April 18, 2013 and for several weeks following, St. Charles experie River that cause damage to the Lannon Stone Fishing Platform and Fo west of the Municipal Center. The platform and fountains were inundatime and the bonding agents that hold the stone to the base were satura threshold. The flooded areas were also exposed to collisions with floo at much higher frequency and at a higher velocity than under normal content of the City's finance department to make an insurance claim. The City's and independent consultant out to review the area and make a recomm platform and fountains; this cost was \$90,000, which the City has alread Staff has since been working with Wiss, Janney, Elstner Associates, In Masonry Restoration, LLC. (BAMR) the original design professionals formulate a plan to make repairs to the platform and fountains while acagainst another event of this type. Attachments: (please list) | 1 LS | NO | Λ |
| Masonry Restoration, LLC. (BAMR) the original design professionals formulate a plan to make repairs to the platform and fountains while adagainst another event of this type. Attachments: (please list) | ountains ju lated for a ated for lor oding debracircumstan age to the s insurance | st along the riversustained period nger than their ris coming over nces. structure and content of costs to repart | ver to the od of design rethe dan ontacted BB had air the |
| Supplemental nictorial documentation of Fishing Platform | s and const | truction compa | ny to |
| Recommendation / Suggested Action (briefly explain): | | | |
| Accommendation / Suggested Action (oriefly explain). | | | |

For office use only: Agenda Item Number: 5.c



Fishing Platform and Fountain looking north toward dam.

Stairs and Fountain looking south toward Main St.

REQUEST FOR WAIVING BID PROCEDURE

We request the City Council to waive the bid procedure and accept the quotation (requiring two-thirds City Council vote) submitted by:

BAMR (Bulley & Andrews Masonry Restoration, LLC) 1755 W. Armitage Ave Chicago, IL 60622

For the purchase of: Repairs to Lannon Stone Fountains and Fishing Platform

At a cost of: \$90,000

Reason for the request to waive the bid procedure: Staff is requesting to waive the bid procedure for this repair project due to the intimate knowledge of this project and partnership that BAMR and WJE have. Also, both BAMR and WJE have a vested interest in providing a successful project and have committed resources at no charge to the City to address this problem.

| Other Quotations Received: <u>U</u> |
|-------------------------------------|
| Date: <u>06/23/2014</u> |
| Requested by: |
| Department Director: |
| Purchasing Manager: |
| Committee Chairman: |

THIS REQUEST FORM MUST BE SIGNED BY ALL PARTIES PRIOR TO REQUESTING COMMITTEE APPROVAL FOR WAIVING OF THE BID PROCEDURE. REQUESTS FORWARDED DIRECTLY TO THE CITY COUNCIL (AND BYPASSING COMMITTEE) MUST BE SIGNED BY ALL PARTIES PRIOR TO REQUESTING CITY COUNCIL APPROVAL. SUCH REQUESTS ARE TO BE OF AN EMERGENCY NATURE WHERE TIME IS OF THE ESSENCE.

| | AGENDA ITEM EXECUTIVE SUMMARY | | | | | | | | | |
|---|--|--|---|--|---|--|--|--|--|--|
| | | | | | Recommendation to Approve Purchase Order with Delta Star for City Hall Substation Transformer | | | | | |
| ST. CHARLES | Presenter: | Tom Bruhl | | | | | | | | |
| Please check appropri | iate box: | | | | | | | | | |
| Government O | | | X Government Services 06.23.14 | | | | | 1 | | |
| Planning & De | evelopment | | | City Council | | | | | | |
| Public Hearing | Ţ, | | | | | | | | | |
| Estimated Cost: \$4 | 42,544 | Budgeted: YES X NO | | | | | | | | |
| If NO, please explain | | he funded: | | | | | | | | |
| Executive Summary: | | | | | | | | | | |
| Purchasing went out for 25MVA transformer we failed a diagnostic Door the central part of the unit at Dukane Drive Streliability issues with requirements and their received. | will replace a uble test. This City. Delta Stub, and the uble Delta Star, and proposal offer | unit that was take transformer will tar has provided t nit at Peck Road d they have a fine | n out of be place ransforr Sub. We reputat | serviced at Conners to fe have fe have fon in | e and ret ity Hall the City not had the indu | tired two Substati y in past l any ma stry. De | o years ago on to serve years, nar intenance elta Star m | o after it e load in mely a or aet all bid | | |
| Attachments: (please | list) | | | | | | | | | |
| Bid tabulation | | | | | | | | | | |
| Recommendation / S | uggested Act | ion (briefly expla | in): | | | | | | | |
| Recommendation to a | nnrove nurchs | usa order to Dalta | Storin | the am | ount of | \$442.54 | 1 | | | |

Agenda Item Number: 5.d

EXHIBIT A

Bid Evaluation Substation 5 Transformer T2

| Name of Bidder: | ABB | ABB | Waukesha Electric Systems | Howard | Delta Star | |
|---|----------------|-------------------|------------------------------|---------------|---------------|--|
| Represetative: | T & D Products | T & D Products | Waukesha Electric | Howard | Delta Star | |
| Manufacturer: | ABB | ABB (Rectangular) | Waukesha Electric | Howard | Delta Star | |
| Delivery: | | | | | | |
| Date of Delivery In Place on Pad | 24-26 Weeks | 24-26 Weeks | N/A | 26 Weeks | 20-26 weeks | |
| Unit Cost of Losses: | | | | | | |
| No Load Losses Evaluated at \$/kW | \$ 3,990.00 | \$ 3,990.00 | \$ 3,990.00 | \$ 3,990.00 | \$ 3,990.00 | |
| Full Load and Auxiliary Losses Evaluated at \$/kW | \$ 1,300.00 | \$ 1,300.00 | \$ 1,300.00 | \$ 1,300.00 | \$ 1,300.00 | |
| Guaranteed Losses from the Proposal Form: | | | | | | |
| No Load Losses (kW) | 10.44 | 11.75 | 11.8 | 13.25 | 11.5 | |
| Total Losses - 55 Deg C rise (kW) | 65.98 | 57 | 66.1 | 62.8 | 47.3 | |
| Auxiliary Losses (kW) | 5.6 | 3 | 9.6 | 2 | 1.5 | |
| Evaluated Costs: | | | | | | |
| Total Bid Cost | \$ 578,235.00 | \$ 542,505.00 | \$ 603,580.00 | \$ 643,573.00 | \$ 442,544.00 | |
| Adjustments to Bid Cost | | | | · | | |
| Lifecycle Cost of Losses | \$ 134,709.60 | \$ 124,882.50 | \$ 145,492.00 | \$ 137,107.50 | \$ 109,325.00 | |
| Cost of Additional Overseas Inspections | | | | | | |
| Waranty Adjustment | | | | | | |
| TOTAL EVALUATED COST: | \$ 712,944.60 | \$ 667,387.50 | \$ 749,072.00 | \$ 780,680.50 | \$ 551,869.00 | |

| | | AGENDA ITEM EXECUTIVE SUMMARY | | | | | |
|---|--|--|-------------------------------|------|-------------|---------------|---------|
| | Title: | recommendation to approve an oraniance ranionang | | | | | |
| JULY | | Title 2 "Administration and Personnel," Chapter 2.36 | | | | | er 2.36 |
| | | "Emergency | | | | ,, | |
| ST. CHARLES | Presenter: | Fire Chief Jo | Fire Chief Joseph Schelstreet | | | | |
| Please check approp | | | X | | | | |
| Government | Government Operations | | | Gove | ernment Ser | vices 06.23.1 | 4 |
| Planning & I | Development | elopment City Council | | | | | |
| Estimated Cost: | | Budgeted: YES NO | | | | | |
| If NO, please explai | n how item will | be funded: | | | | | |
| Title 2, Chapter 2.36 Emergency Managereporting structure of | 5 is being update ment Agency. Th nly. | | | | - | | |
| Attachments. (piea | se iisi) | | | | | | |
| Ordinance | | | | | | | |
| Recommendation / | Suggested Acti | on (briefly explai | in): | | | | |
| Recommendation to approve an Ordinance Amending Title 2 "Administration and Personnel," Chapter 2.36 "Emergency Management Agency". | | | | | | | |
| | | | | | | | |
| For office use only: | Agenda Iter | n Number: 6.a | | | | | |

City of St. Charles, Illinois

| Ordinance | No. | | |
|------------------|-----|--|--|
| | | | |

An Ordinance Amending Title 2 "Administration And Personnel," Chapter 2.36 "Emergency Management Agency"

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF ST. CHARLES, KANE AND DUPAGE COUNTIES, ILLINOIS, AS FOLLOWS:

- 1. That Section 2.36.030, "Definitions," Paragraph A, of Title 2 "Administration and Personnel," Chapter 2.36, "Emergency Management Agency," of the St. Charles Municipal Code, be and is hereby amended by deleting the same and substituting the following therefor:
 - A. Coordinator means the staff assistant to the Fire Chief with the duty of carrying out the requirements of this Chapter.
- 2. That Section 2.36.040, "Emergency Services and Disaster Agency," Paragraphs A-E, of Title 2 "Administration and Personnel," Chapter 2.36, "Emergency Services and Disaster Agency," of the St. Charles Municipal Code, be and is hereby amended deleting the same and substituting the following therefor:

2.36.040 St. Charles Emergency Management Agency

- A. There is hereby created an emergency management agency and a coordinator of the emergency management agency, herein called the "coordinator", who shall be the head thereof.
- B. The coordinator, subject to the direction and control of the Fire Chief, shall be the executive head of the St. Charles Emergency Management Agency, and shall be responsible under the direction of the Fire Chief for carrying out the program for emergency services and disaster operations of this city. He shall coordinate the activities of all organizations for emergency services and disaster operations within this city and shall maintain liaison, and cooperate with, the civil defense and emergency management agencies and organizations of Kane County, other counties and municipalities, and of the federal and state government.
 - In the event of the absence, resignation, death, or inability to serve of the Coordinator or any person designated by the Fire Chief, shall be and act as Coordinator until a new appointment is made as provided in this Chapter.
- C. The St. Charles Emergency Management Agency shall take an integral part in the development and revision of the local emergency operations plan.
- D. In the development of the emergency operations plan, the St. Charles

Emergency Management Agency shall interrelate with business, labor, industry, agriculture, civic and volunteer organizations, and community leaders.

- E. The St. Charles Emergency Management Agency is authorized to:
 - a. Determine the requirements of the city of St. Charles for food, clothing, and other necessities in the event of an emergency;
 - b. Develop an Emergency Operations Plan that meets the standards promulgated by the Illinois Emergency Management Agency;
 - c. Bi-annually review and revise the local Emergency Operations Plan;
 - d. Establish a register of persons with types of training and skills in emergency prevention, preparedness, response, and recovery;
 - e. Establish a register of government and private response resources available for use in a disaster;
 - f. Prepare, for issuance by the Mayor, Chapters, proclamations, and regulations as necessary or appropriate in coping with disasters;
 - g. Cooperate with the federal, state, and county government and any public or private agency or entity in achieving any purpose of this Chapter and in implementing programs for disaster prevention, preparation, response, and recovery.
 - h. Initiate and coordinate planning for the establishment of an emergency operating center;
 - i. Do all other things necessary, incidental, or appropriate for the implementation of this Chapter.
- 3. That Section 2.36.050, "Emergency Services and Disaster Powers of the Mayor," Paragraphs A and D, of Title 2 "Administration and Personnel," Chapter 2.36, "Emergency Services and disaster Agency," of the St. Charles Municipal code, be and is hereby amended deleting the same and substituting the following therefor:
 - A. The Fire Chief shall have the general direction and control of the emergency management agency and shall be responsible for the carrying out of the provisions of this Chapter.
 - D. The Fire Chief is authorized to designate space in a municipal building or elsewhere for the emergency management agency as its office.
- 4. That Section 2.36.150, "Orders, Rules, and Regulations," Paragraph B, of Title 2 "Administration and Personnel," Chapter 2.36, "Emergency Services and Disaster Agency," of the St. Charles Municipal Code, be and is hereby amended deleting the same and substituting the following therefor:
 - B. The St. Charles Emergency Management Agency established pursuant to this Chapter, and the coordinator thereof, shall execute and enforce such orders, rules, and regulations as may be made by the governor under authority of the Illinois Emergency Management Agency Act. The St. Charles Emergency Management Agency shall have available for inspection at its office all orders, rules, and regulations made by the governor, or under this authority. The state Emergency Management Agency shall furnish such orders, rules, and regulations to the agency.

5. That Section 2.36.160, "Utilization of Existing Agency, Facilities, and Personnel," of Title 2 "Administration and Personnel," Chapter 2.36, "Emergency Services and Disaster Agency," of the St. Charles Municipal Code, be and is hereby amended deleting the same and substituting the following therefor:

Incarrying out the provisions of the Chapter, the Fire Chief and the coordinator of the emergency management agency are directed to utilize the services, equipment, supplies, and facilities of existing departments, offices, and agencies of the city to the maximum extent practicable, and the officers and personnel of all

such departments, offices, and agencies are directed, upon request, to cooperate with and extend such services and facilities to the coordinator and the emergency

6. That after adoption and approval hereof, this Ordinance shall (i) be printed or published in book or pamphlet form, published by the authority of the Council, or (ii) within thirty (30) days after the adoption and approval hereof, be published in a newspaper published in and with a general circulation within the City of St. Charles.

management agency.

| PRESENTED to the City Council of the City of St. Charles, Illinois, this2014. | _ day of |
|--|----------|
| PASSED by the City Council of the City of St. Charles, Illinois, this of 2014. | day |
| APPROVED by the Mayor of the City of St. Charles, Illinois, this 2014. | day of |
| Raymond Rogina, Mayor | |
| ATTEST: | |
| City Clerk/Recording Secretary | |

| COUNCIL VOTE: |
|----------------------|
| Ayes: |
| Nays: |
| Absent: |
| Abstain: |
| |
| APPROVED AS TO FORM: |
| |
| |
| |
| |
| |
| City Attorney |
| DATE |
| DATE: |
| |
| 37 * 37 . |
| Voice Vote: |
| Ayes: |
| Nays: |
| Absent: |
| Abstain |