

# City of St. Charles

## Residential Alteration or Addition



Building & Code Enforcement Division  
2 East Main Street  
St. Charles IL 60174  
630.377.4406 (Office)

***Please direct any and all questions to the City of St. Charles Building & Code Enforcement Division:  
Monday through Friday (8 AM to 4:30 PM) at 630.377.4406***

A building permit is required prior to any alteration or addition to a residential structure. The following are guidelines and comments for obtaining a building permit.

### **Application and Drawings Procedures:**

- An application is to be filled out and submitted to the Building & Code Enforcement Division. The contractor's names, addresses, phone numbers, email and, if required, their license.
- For information on the setbacks for your particular zoning, please contact a Building Inspector at the Building and Code Enforcement Division at 630.377.4406.
- If you are upgrading the electric service, changing the panel or installing a new electric service, this application is also attached for you to complete and submit with the drawings and the building application.
- For an addition – two (2) copies of the plat of survey to scale showing the location of the addition and the measurements to all of the lot lines from the addition also indicate on the survey the route of the electric service from the transformer to the house.
- Two copies of plans that show compliance with 2015 Energy Code (table 402.1.2, Zone 5).
- No structure shall be located in any indicated easement area.
- Provide maximum building coverage calculations per your Zoning District on additions.  
Definition: A measure of intensity of land use that represents the portion of a site that is covered by a principal building or buildings including attached garages and enclosed porches, and accessory buildings including detached garages and any other enclosed accessory building in excess of 150 square feet of Lot Coverage. Building coverage shall also include cantilevered portions of a building that extend beyond the footprint of a structure, including portions cantilevered over an open front porch. Building Coverage shall be measured at the outer edge of the foundation line, or at the outer wall surface support column in the case of a post, other non-continuous foundation, or cantilever, excluding projections for bay windows or chimneys. Building coverage shall not include unenclosed porches, decks, or unenclosed accessory structures such as gazebos, swimming pools, or tennis and sports courts.

- Two copies of plans shall include sufficient detail to demonstrate compliance with Building Codes and Ordinances. The drawings shall be as accurate as possible, include dimensions, walls, cabinets, fireplaces, receptacles, switches, lighting. Framing details shall include a typical wall detail, header sizes, beam and column sizes and if engineered lumber is specified.
- Engineering Submittal requirements
  - a) For Building additions smaller than 150 square feet – submit a Grading Certification form.
  - b) For Building additions 150 square feet of larger – submit and Engineering Plan. See submittal checklist for requirements.
    - Stormwater Permit Application is required for land disturbing activity resulting in 5,000 square feet or greater.
- If there is any plumbing being done on your project, a copy of the plumbing contractors Illinois License Registration and an original notarized “Letter of Intent” signed by the plumbing contractor. If you, the homeowner, are completing all the plumbing work, a notarized “Letter of Intent” signed by you is required stating you will reside in this home as your sole residence for at least six months.
- If your property is located in any of the RT or CBD-2 zoning districts and your project involves any exterior alterations, additions, and detached garages, there are Architectural Design Guidelines in Section 17.06.060 of the Zoning Ordinance attached to this packet. The Planning Division will conduct a review of the project for compliance with these guidelines.
- For building additions 150 square feet of larger – Two (2) Copies of a Final Grade survey must be submitted no less than five (5) working days prior to the final inspection. The Development Engineering Division will review this survey. Please call the Development Engineering Division At (630)443-3677 should you have any questions.
- Our goal is to complete the review of your building permit within 10 working days.

**Application – Permit Fees: (All payments are to be made either in the form of cash, check, or money order)**

- **A filing fee is to be paid at time of submission of application and plans.**
  - For an alteration or addition the submittal fee is **\$150.00**
  - **Additional fees for your permit are to be paid at the time the permit is approved and ready to be obtained.**
  - For estimated cost up to first thousand (\$1,000.00) dollars, One-Hundred (\$100.00) dollars
  - For estimated cost from one thousand and one (\$1,001.00) dollars to ten-thousand (\$10,000.00). Six (\$6.00) dollars per/\$1,000.00
  - For estimated cost from ten-thousand and one (\$10,001.00) to twenty-five thousand (\$25,000.00), Two dollars and 25 cents (\$2.25) per/\$1,000.00
  - For estimate cost from twenty-five thousand and one (\$25,001.00) dollars on, One-dollar and 50 cents (\$1.50) per/\$1,000.00
  - Stormwater Permit Application Fee: \$50.00

- **Re-inspection fee.** During the construction of your project should you fail any of the required inspections there is a re-inspection charge. The fees are due prior to certificate of occupancy. The fee schedule is as follows;
  - \$65.00 per Building Department re-inspection for all types of inspections during construction (excluding finals)
  - \$85.00 per re-inspection for all residential final inspections.
- **Temporary certificate of occupancies.** \$85.00 is due prior to issuance of a temporary certificate of occupancy for residential.

### **Overtime Inspections:**

The Building & Code Enforcement Division Manager or his designee may approve requests for overtime inspections for unique circumstances. The charge for an overtime inspection will be a separate charge and will be invoiced to the individual contractor or company who requested the overtime inspection.

### **Consultation Meeting:**

The Building and Code Enforcement Division offers a consultation meeting where you will meet with City staff and discuss any questions or issues on your construction project. The meeting may be for a proposed project or a project that is currently under construction and can be held at the site location or in our office. To schedule this meeting, please contact our office at 630.377.4406.

### **Building Codes:**

The following are the Building Codes, which the City of St. Charles has adopted:

- St. Charles Municipal Code
- Int'l Residential Code/revisions
- Int'l Building Code w/revisions
- Int'l Mechanical Code w/revisions
- Nat'l Electrical Code w/revisions
- Int'l Fuel Gas Code w/revisions
- State Plumbing Code
- International Fire Codes w/revisions
- 2015 International Energy Conservation Code

### **General Comments:**

- 1) Please see our website ([www.stcharlesil.gov](http://www.stcharlesil.gov)), City Code Book, Title 15, Chapter 15.40 Building Code to see our local amendments.
- 2) Per Ordinance No. 1987-M-93 in the City of St. Charles there is no open burning.
- 3) R105.7 Placement of permit. The building permit card shall be kept on the site (in the window) of the work and be visible from the street until such time as a certificate of occupancy permit has been issued, or a final inspection has been performed.
- 4) R-314 Smoke alarms- Smoke detectors are required in all sleeping areas and all floors. Smoke and carbon monoxide detectors outside sleeping area within 15-feet. All detectors must be hardwired, interconnected and with battery backup (When basement is finished an additional smoke detector is required in the

- furnace room). This is the only item that the Building Code requires to be updated when work is performed.
- 5) At least one (1) GFCI receptacle is required in a storage or unfinished room.
  - 6) In bathrooms, GFCI receptacles are required to be within three (3) feet from the edge of the sink.
  - 7) AFCI protection shall be provided in all 120-volt, single phase. 15 and 20 ampere branch circuits supplying outlets or devices installed in dwelling unit kitchens, family rooms, dining rooms, living rooms, parlors, libraries, dens, bedrooms, sunrooms, recreation rooms, closets, hallways, laundry areas, or similar rooms or areas.
  - 8) Tamper-resistant receptacles shall be installed in all areas specified in Section 210.52 (2014 NEC). All nonlocking-type 125-volt, 15- and 20-ampere receptacles shall be listed tamper-resistant receptacles.
  - 9) All exterior doors must have a dead bolt lock with no less than a one-1-inch throw.
  - 10) "Single-cylinder dead bolt" means a dead bolt lock activated from the outside by a key and from the inside by a knob, thumb turn, lever, or similar actuator.
  - 11) "Sliding door dead bolt" means a single dead bolt, which after penetration of the strike, expands or is pivoted hook-type to resist sliding of the door by force.
  - 12) Firestop shall be done at the frame inspection.
  - 13) R-311 Egress windows (bedrooms and basements with habitable spaces).
  - 14) R-308 Safety glazing (fixed or operable panels, tempered at doors, bathrooms and stairways or landings).
  - 15) R-302.5.1 (20 min. rated door to garage with self-closing hinges).
  - 16) R-302.5, 302.6 (5/8" drywall separation).
  - 17) R-311 (Two required exits per St. Charles, clear width of 32" and not through the garage).
  - 18) R-312 (guards) R-311.7.8, R-311.8.3 (handrails) R-311.7.1 (stair width) R-311.7.5, R311.8.1 (stair treads and risers)
  - 19) Footings ("8x18" on 8" wall, 10"x20" on 10" wall).
  - 20) Foundation walls R-404 (wall steel table 404.1.2 (1)).
  - 21) R-602, 602.3.1, R-602.3.2, R-602.3.3, R-602.3.4, R-602.6, R-602.9) wall framing
  - 22) R-502.6, R-502.7 (JOIST SPAN 502.3.1(1), R-502.3.1 (2), R-502.3.3 (1), AND R-502.3.3 (2) (floor framing).
  - 23) I- joist used in the basement are requires to be fire protected.
  - 24) Roof rafters R-802.1.1 (TABLES R-802.5.1 (1), R-802.5.1 (3)
  - 25) Roof trusses R-502.11, R-602.10.6.2, AND R-802.10
  - 26) 2015 International Energy Code - KANE COUNTY 5A (TABLE 402.1.2) U-factors and insulation requirements.

## Inspections:

The following is a list of inspections that might be required for your project and the amount of time needed to conduct the inspection.

- **Footing** – Approximately one-half hour.
- **Foundation** - Approximately one-half hour.
- **Exterior House Wrap** - Approximately one-half hour.
- **Framing** – Approximately one-hour. This inspection is usually

- **Electric -** conducted the same time as the electric. Approximately one-hour. This inspection is usually conducted the same time as the framing.
- **Underground Plumbing –** Approximately one-hour.
- **Slab -** Approximately one-half hour
- **Rough Plumbing –** Approximately one-hour
- **HVAC/Mechanical -** Approximately one-half hour
- **Blower door test-** **Required from contractor at time of final**
- **Insulation -** Approximately one-half hour
- **Final Grade -** Approximately one-half hour
- **Final -** Approximately one-hour

**Homeowner – Contractor Responsibilities:**

- ✓ It is the responsibility of the homeowner/contractor to schedule with the Building Department the required inspections. The required inspections are indicated on the Plan Review form, which is attached to your permit and the Field Copy of drawings. When calling to schedule an inspection, please have the address and the permit number.
- ✓ Inspections shall be called a minimum of 24 hours before they become due.
- ✓ Call J.U.L.I.E. (Joint Underground Location for Inspectors and Engineers) at least 48-hours prior to any digging to locate any underground utilities. **(1-800/892-0123)**
  - Electric Utilities Red
  - Comcast (Cable) Orange
  - Northern Illinois Gas (NICOR) Yellow
  - Sewer Utilities Green
  - Telephone Utilities Orange
  - Water Utilities Blue



**Electric Service Application – New Service/Upgrade**  
(Each individual service will require a complete and separate application)

Name: _____	Phone: _____
Original Signature: _____	Fax: _____
Contact Name: _____	Phone: _____
Email: _____	
Application Date: _____	Requested Service Date: _____
Note: This application will be null and void if work is not completed within 6 months from said application date.	

Existing Building	Other	New Building	Service Voltage Requested
<input type="checkbox"/> Residential	<input type="checkbox"/> Temp Connection	<input type="checkbox"/> Residential: Single family	<input type="checkbox"/> Single Phase 120/240
<input type="checkbox"/> Commercial	<input type="checkbox"/> Street Lights	<input type="checkbox"/> Residential: Multi Family	<input type="checkbox"/> Three Phase
<input type="checkbox"/> Industrial	<input type="checkbox"/> Traffic Signals	estimated # of units _____	_____ 120/208
<input type="checkbox"/> Upgrade Service	<input type="checkbox"/> New Service	<input type="checkbox"/> Commercial	_____ 277/480
<input type="checkbox"/> Relocate Service	<input type="checkbox"/> Relocate	<input type="checkbox"/> Commercial: Multi Family	_____ Other
<input type="checkbox"/> Convert OH to UG	<input type="checkbox"/> Antenna Site	estimated # of units _____	
	<input type="checkbox"/> Signage Lights	<input type="checkbox"/> Industrial	
		<input type="checkbox"/> Other	

**Service Panel:**  
Present Rating (amps) \_\_\_\_\_ Proposed Rating (amps) \_\_\_\_\_ Proposed Connected KW: \_\_\_\_\_  
Present Peak KW (Demand) \_\_\_\_\_ Estimated Peak KW (Demand) \_\_\_\_\_

**SERVICE ADDRESS**  
(A complete and accurate service address is required before service may be installed)

Street Address: \_\_\_\_\_

Subdivision: \_\_\_\_\_ Lot # \_\_\_\_\_ Real Estate Permanent Tax # \_\_\_\_\_

Legal Description (attach sheet if necessary): \_\_\_\_\_

Record Titleholder of property: \_\_\_\_\_

If property is held in trust, identify beneficial owner (s): \_\_\_\_\_

Address: \_\_\_\_\_

**CUSTOMER BILLING INFORMATION**  
(This information will be used for utility billing purposes)

Name: \_\_\_\_\_

Street Address: \_\_\_\_\_

City/State/Zip \_\_\_\_\_ Phone: \_\_\_\_\_

Authorized representative or agent: \_\_\_\_\_

Title: \_\_\_\_\_ Phone: \_\_\_\_\_

**Note: Only Cash or Check can be used for payment.**

**BUILDING DIVISION OFFICE USE**

Application Accepted By: \_\_\_\_\_

Date Application Received: \_\_\_\_\_

Date Payment Received: \_\_\_\_\_

Method of Payment: \_\_\_\_\_

Building Permit No.: \_\_\_\_\_

**ELECTRIC DEPARTMENT CHARGES**

Charges Calculated by: \_\_\_\_\_

Date: \_\_\_\_\_

<u>ITEM</u>	<u>ACCOUNT #</u>	<u>CHARGES (\$)</u>	<u>AMOUNT PAID</u>
Project Cost:	- 200999 45405	_____	_____
SOCC: VACANT	200999 48500	_____	_____
SECC: VACANT	200999 48501	_____	_____
SOCC:	200999 48502	_____	N/A
SECC:	200999 48503	_____	_____
Upgrade Charges:	200999 48504	_____	_____
Engineering:	200999 45206	_____	_____
Temp Connection:	200999 45407	_____	_____
Electric Improvement:	200999 45404	_____	_____
Relocation	_____	_____	_____
Subtotal		_____	N/A
Less contribution- if applicable		_____	N/A
<b>Total Amount of Charges:</b>		_____	_____

**Electric Project No.:** \_\_\_\_\_



# CITY OF ST CHARLES

## Application for Building Permit for Residential Alteration or Addition

DEPARTMENT: Building & Code Enforcement Division      PHONE: (630) 377-4406 FAX (630) 443-4638

Application Date: \_\_\_\_\_ Parcel No. \_\_\_\_\_ Permit No. \_\_\_\_\_

### PLEASE PRINT ALL INFORMATION

I, \_\_\_\_\_, do hereby apply for a permit for the following described work

located at \_\_\_\_\_ Estimated Cost: \_\_\_\_\_

Description of proposed work: \_\_\_\_\_

Sq. Ft. of construction area: \_\_\_\_\_ Existing Electric Service amps. \_\_\_\_\_ Size of existing Water Meter : \_\_\_\_\_

Will this work include moving, upgrading or replacing the Electric, Water or Sanitary Service? Yes No (circle one)

#### Check List for Submittal of Application:

- Is your property located in the Historic Preservation District? Yes/No If yes, your application and plans will need to be reviewed by the Historic Preservation Committee.
- Is your property located in the RT or CBD Zoning District? If yes your application and plans are to have an Architectural Consult Meeting with our Planning Division before we can issue your permit.
- Building Permit Application – Completely Filled Out.
- Stormwater Permit Application – required for land disturbing activity resulting in 5,000 Square feet or greater.
- Engineering Submittal a) For building additions smaller than 150 square feet – submit a signed Grading Certification Form; OR b) For building additions 150 square feet of lager – submit Two-2 copies of an Engineering Plan.
- Two-2 Copies of Plat Of Survey (If Applicable – Show yard setbacks to all of your lot lines and
- For an addition - on both copies of the plat of survey show the location of the electric meter on the house and the route of the electric service line running to the house.
- Two-2 sets of drawings that show all interior and exterior construction details.
- If windows are being installed/replaced, a copy of documentation of the U-Factor rating is required with the submittal.
- Electric service application – only if the existing electric service is being upgraded or new electric service.
- Letter of Intent - If any plumbing is being conducted by anyone other than the owner who lives at the property, a Letter of Intent from the Plumbing Contractor is required. The letter must be on company letterhead indicating they are the plumbing contractor conducting the plumbing work for this job and be notarized or sealed with the plumbing company seal.
- A copy of the Plumbing Contractor’s Illinois State Plumbing License and their Illinois State Contractor License.
- If any roofing is conducted by anyone other than the owner we need a copy of the Roofing Contractor’s Illinois State License.
- Submittal fee of \$150.00, PAYMENT BY CASH OR CHECK PAYABLE TO CITY OF ST. CHARLES.**

#### Owner of the Property:

Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
City/State/Zip Code: \_\_\_\_\_  
Email: \_\_\_\_\_  
Telephone NO. \_\_\_\_\_

#### Applicant:

Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
City/State/Zip Code: \_\_\_\_\_  
Email: \_\_\_\_\_  
Telephone NO. \_\_\_\_\_

#### General Contractor:

Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
City/State/Zip Code: \_\_\_\_\_  
Email: \_\_\_\_\_  
Telephone NO. \_\_\_\_\_

#### Electrical Contractor:

Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
City/State/Zip Code: \_\_\_\_\_  
Email: \_\_\_\_\_  
Telephone NO. \_\_\_\_\_



**Application - Residential  
Alteration - Addition  
Page 2**

**Plumbing Contractor:**

Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
City/State/Zip Code: \_\_\_\_\_  
Email: \_\_\_\_\_  
Telephone NO. \_\_\_\_\_  
Illinois License No. \_\_\_\_\_

**Roofing Contractor:**

Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
City/State/Zip Code: \_\_\_\_\_  
Email: \_\_\_\_\_  
Telephone NO. \_\_\_\_\_  
Illinois License No. \_\_\_\_\_

**Concrete Contractor:**

Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
City/State/Zip Code: \_\_\_\_\_  
Email: \_\_\_\_\_  
Telephone NO. \_\_\_\_\_

**HVAC Contractor:**

Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
City/State/Zip Code: \_\_\_\_\_  
Email: \_\_\_\_\_  
Telephone NO. \_\_\_\_\_

**I, the undersigned, certify that if a permit is issued to me, I will comply with all provisions of the building, plumbing, electric and other applicable ordinances of the City of St. Charles and shall perform all work, or cause all work to be performed according to the provisions of said ordinances. I, or my agent, shall personally supervise the work and shall do, or cause to have done, said work according to plans, specifications and other written information supplied as a part of this application. I am familiar with the applicable ordinances and the provision thereof and in signing this application do willingly become responsible for all work accomplished under the permit by all contractors, tradesmen and workmen, and shall call for inspections as required at a minimum of 24-hours before they become due.**

**PRINT NAME:** \_\_\_\_\_ **SIGNATURE:** \_\_\_\_\_

**REPORT OF THE BUILDING OFFICIAL**

**Remarks:** \_\_\_\_\_  
\_\_\_\_\_  
**Accepted:** \_\_\_\_\_ **Rejected:** \_\_\_\_\_ **Date:** \_\_\_\_\_  
**Signed:** \_\_\_\_\_

<b>For Office Use</b>
<b>Received</b> _____
<b>Fee Paid \$</b> _____
<b>Receipt #</b> _____
<b>Check #</b> _____





### **AS-BUILT GRADING SURVEY / PLAN**

The intent of the as-built grading requirement set forth in the ordinance is to obtain a record document of a residential site plan as a comparison to the approved design and for future reference. The following information shall be included to provide the desired information concerning grading, drainage, and utilities.

1. Building numbers and street name. If multi-family please include all addresses to the building unit (multi-family lot inspections will be done as one lot only).
2. Lot lines with dimensions drawn to scale no smaller than 1" = 20'.
3. Approved vs. constructed foundation, garage, and window well elevations. Include all top of foundation elevations on a stepped foundation. Identify the lowest opening elevation.
4. Spot elevations at all property corners, side lot lines (25' min. spacing), break-points, drainage swales and building corners.
5. One-foot contours throughout the property (depict landscape berms or swales).
6. Rim and invert elevations at utility structures.
7. Top-of-curb and centerline pavement elevations along property frontage.
8. Calculated maximum driveway slopes.
9. Clearly defined site benchmark.
10. Topographic features including structures, all window well locations, and permanent water surface levels.
11. Depict drainage patterns and emergency overflow routes with arrows.
12. Signature and seal of an Illinois registered land surveyor

This document must be reviewed and approved along with a satisfactory site inspection prior to final occupancy approval.

If there are deviations from approved plans, the City will require a Licensed Professional Engineer to render an opinion and certify the as-built is in compliance with all applicable code requirements.



- Ground slope - 4:1 maximum and 2% minimum
- Driveway slope – 8% maximum and 1% minimum
- Proposed utility services
  - Water – Minimum 1” Type K copper
  - Sewer – Minimum 6” SDR 26 PVC
- Proposed footing drain sump pump shall connect to public storm sewer system. Show routing, pipe size, slope, connection method.
- Proposed down spouts shall discharge onto the ground, and day light,
  - minimum of ten (10) feet from any public Right of Way
  - minimum of five (5) feet from any property line, or half the distance of the side yard setback, whichever is greater.
  - Discharge shall not be located in a front yard setback
- Proposed easements (if applicable)
- Erosion Control Plan
  - Proposed location of silt fence, tree protection, inlet and pipe protection, and any other erosion control measures necessary

#### Codes and Manuals

- City Code Title 18 - Stormwater Management Ordinance  
<https://codebook.stcharlesil.gov/title-18>
- Kane County Stormwater Management Ordinance  
<https://www.countyofkane.org/FDER/Documents/waterOrdinances/adoptedOrdinance.pdf>
- City of St. Charles Engineering Design & Inspection Policy Manual  
<https://www.stcharlesil.gov/departments/public-works-engineering/policy-manual>



## ENGINEERING PLAN SUBMITTAL

The engineering plan shall be prepared, signed, and sealed by a Licensed Professional Engineer. This does not apply to lots that have been pre-engineered, where the design has been approved under a master engineering plan. For pre-engineered lots, the submittal shall demonstrate conformance to the approved master engineering plans.

### Existing Conditions

- Scale (minimum size) is 1" = 20'
- North arrow
- Lot dimensions, legal description of property, site address
- Site Benchmark (NAVD88 datum)
- Existing topographic survey
  - Contours at 1' intervals. Include existing contours within 25' of the site in all directions.
  - Spot elevations at property corners, side and rear lot lines (25' minimum spacing), break points, drainage swales
  - Top of curb, edge of pavement, centerline pavement elevations within right-of-way
- Existing structures (fences, sheds, retaining walls, sidewalks, driveways, etc.)
- Adjacent structures, including top of foundation elevation
- Existing utility infrastructure, including watermain, sanitary sewer, storm sewer, electric, cable
  - Include rim and invert (or top of pipe) elevations and pipe size
  - Locate the nearest storm sewer structure(s) to the site
- Existing trees and size. Identify if trees are to be removed or protected
- Existing easements
- Existing wetlands, floodplain, overland flow routes

### Proposed Improvements (include Existing Conditions overlay)

- Proposed structure footprint including dimensions
  - Include any porches, patios, service walks
  - Include top of foundation elevation (include all top of foundation elevations on a stepped foundation), top of garage floor elevation, top of window well elevations
  - Include building setback dimensions
- Proposed driveway dimensions, proposed slope, spot grades, and pavement composition (concrete, asphalt, brick paver)
- Proposed grading contours at 1' intervals, shown overlaying existing grading contours.
  - Include proposed elevations at building corners
  - Include spot grades as necessary to construct proposed swales, drainage features, berms, high and low points, etc.
  - Depict overland flow routes with arrows and proposed slope percentages

- Ground slope - 4:1 maximum and 2% minimum
- Driveway slope – 8% maximum and 1% minimum
- Proposed utility services
  - Water – Minimum 1” Type K copper
  - Sewer – Minimum 6” SDR 26 PVC
- Proposed footing drain sump pump shall connect to public storm sewer system. Show routing, pipe size, slope, connection method.
- Proposed down spouts shall discharge onto the ground, and day light,
  - minimum of ten (10) feet from any public Right of Way
  - minimum of five (5) feet from any property line, or half the distance of the side yard setback, whichever is greater.
  - Discharge shall not be located in a front yard setback
- Proposed easements (if applicable)
- Erosion Control Plan
  - Proposed location of silt fence, tree protection, inlet and pipe protection, and any other erosion control measures necessary

#### Codes and Manuals

- City Code Title 18 - Stormwater Management Ordinance  
<https://codebook.stcharlesil.gov/title-18>
- Kane County Stormwater Management Ordinance  
<https://www.countyofkane.org/FDER/Documents/waterOrdinances/adoptedOrdinance.pdf>
- City of St. Charles Engineering Design & Inspection Policy Manual  
<https://www.stcharlesil.gov/departments/public-works-engineering/policy-manual>



## GRADING CERTIFICATION FORM

We, the below listed signees, acting as owners of the below listed property and on behalf of \_\_\_\_\_(contractor responsible for grading), verify the following:

1. We will provide positive drainage, within the City of St. Charles grading requirements of **2.0% minimum slope to 4:1 maximum slopes**, to drain around the structure to be installed on said property.
2. If easements exist, we certify that the structure, or associated grading **will not be installed within any easements.**
3. If no easements exist, we certify that the structure, or associated grading **will not be installed within 10-feet of a side yard lot line or within 10-feet of the rear yard lot line.**
4. As part of this grading, we will not adversely affect any of our neighbors' property.

*If the criteria listed above is not met, the applicant would need to submit a detailed grading plan for review and approval and this form shall not be used.*

Street Address: \_\_\_\_\_

PIN Number: \_\_\_\_\_

Signed: \_\_\_\_\_  
(contractor responsible for grading)

Dated: \_\_\_\_\_

Signed: \_\_\_\_\_  
(property owner)

Dated: \_\_\_\_\_

Signed: \_\_\_\_\_  
(property owner)

Dated: \_\_\_\_\_